Journal of Applied Polymer Science

Author Index to Volume 65

Abbate, M.
—; Martuscelli, E.; Musto, P.; Ragosta, G.: Thermosetting Bismaleimide/Reactive Rubber Blends: Curing Kinetics and Mechanical Behavior, 979
Abd Alla, S. G. See El-Naggar, A. M., 1091
Abdelkader, H. I. See Shahada, L., 1653
Abhiraman, A. S. See Sharma, V., 2603; Thadani, S., 2613
Abraham, G. A.
—; Frontini, P. M.; Cuadrado, T. R.: Physical and Mechanical Behavior of Sterilized Biomedical Segmented Polyurethanes, 1193
Abraham, S.
—; Rajan, P. K.; Sreekumar, K.: Polymeric Analog of Isoxazolinium Permanganate: Preparation and Use as Synthetic Reagent, 1169
Aburto, J. See Thiebaud, S., 705
Acierno, D. See Di, Y., 951
Adachi, H.
—; Hasegawa, T.; Asano, T.: Cell Distributions in Flexible Polyurethane Foams, 1395
Aguilar-Vega, M. De J. See Herrera-Franco, P. J., 197
Ahmad, S. R. See Khan, F., 459
Ahmed, M. G. M. See Saad, A. L. G., 27
Ahmed, N.
—; Sankarapapavinasam, S.; Nagendrappa, G.: Electropolymerization of Trimethylsilylphenols to Silyated Polyphenylene Oxides and Investigation of Their Properties. Enhanced Conductivity of PPO by Silyl Group, 1121
Ajo', D. See Bertolin, M., 2201
Akbulut, U. See Saçak, M., 1103
Alam, S.
—; Kandpal, L. D.; Varma, I. K.: Bis(3-aminophenyl)methyl Phosphine Oxide-Based (Methyl) nadicimide Resins, 861
Albertsson, A.-C. See Eriksson, P.-A., 1619, 1631
Ali, K. M. I. See Hassiruzzaman, M., 1571
Alric, I. See Thiebaud, S., 705
Aly, A. S.
—; Jeon, B. D.; Park, Y. H.: Preparation and Evaluation of the Chitin Derivatives for Wastewater Treatments, 1939
Aminabhavi, T. M.
—; Harlapur, S. F.: Sorption/Desorption and Diffusion Kinetics of Ketones and Nitriles into Fluoropolymer Membranes, 635
An, S.-K. See Kim, E.-Y., 99
Ando, M. See Shindo, T., 1675
Andreopoulos, A. G. See Tarantili, P. A., 267
Antonucci, J. M. See Farahani, M., 561
Arnauts, J. E. F. See Bouma, R. H. B., 2679
Arribas, J. M. See Marco, C., 2665
Arzak, A.
—; Eguiazabal, J. I.; Nazabal, J.: Biphasic Compatible Blends from Injection Molded Poly(Ether Ether Ketone)/Polysulfone, 1503
Asano, T. See Adachi, H., 1395
Asrey, R. See Banerjee, S., 1789
Assano, E. M. See Sabadini, E., 595
Atvars, T. D. Z. See Sabadini, E., 595
Azuma, J.-I. See Iwata, T., 1511

Babu, P. R.
—; Sastry, T. P.; Rose, C.; Muralidhara Rao, N.: Hydrogels Based on Gelatin Poly(hydroxyethyl methacrylate) and Poly(butyl acrylate) Graft Copolymer Impregnated with Fibrin, 555
Bacquet, M. See Gailliez-Degremont, E., 871
Bae, Y. C. See Han, S., 1745
Bafna, S. S.
—; Beall, A.: A Design of Experiments Study on the Factors Affecting Variability in the Melt Index Measurement, 277
Baik, K. J. See Kim, J. Y., 2643
Baker, W. E. See Sun, Y.-J., 1385
Banerjee, A. See Mukhopadhyay, S. K., 2075
Banerjee, S.
—; Asrey, R.; Saxena, C.; Vyas, K.; Bhattacharya, A.: Kinetics of Diffusion of Water and Dimethylmethylphosphonate through Poly(dimethylsiloxane) Membrane Using Coated Quartz Piezoelectric Sensor, 1789
—; See Murthy, L. V. R., 731
Banu, P. See Mahesh, G. N., 2105
Barbosa, R. V. See Soares, B. G., 2141
Basu, D. See Mukhopadhyay, S. K., 2075
Baysal, B. See Cvetkovska, M., 2173
Bayülken, S. See Dinçer, B., 37
Beall, A. See Bafna, S. S., 277
Beckham, H. W. See Thadani, S., 2613
Becu, L.
—; Maazouz, A.; Sautereau, H.; Gerard, J. F.: Fracture Behavior of Epoxy Polymers Modified with Core-Shell Rubber Particles, 2419
Belomoina, N. See Sava, I., 1533
Beltrame, P. L.
—; Castelli, A.; Munaretto, G.; Canetti, M.; Seves, A.: Characterization of

Polypropylene–Poly(1-butene)–Hydrogenated Olygo(cyclopentadiene) Ternary Blends, 1659
Bendak, A.
—; Kantouch, A.; Nasr, M. F.: Some Studies on Thermal Treatments of Polyester Fibers: Structural Changes, 2773
Bertani, R. See Minto, F., 217
Bertolin, M.
—; Zecca, M.; Favero, G.; Palma, G.; Lora, S.; Ajo', D.; Corain, B.: High-Yield γ-Ray-Induced Polymerization of Bis-2-Acetoacetoxyethyl methacrylate Copper (II), 2201
Bhattacharya, A. See Banerjee, S., 1789
Bhattacharya, A. K. See Mallick, A., 135
Bhowmick, A. K. See Kar, K. K., 1429
Bhuvanesh, Y. C. See Gupta, V. B., 1773
Bikiaris, D. See Thiebaud, S., 705
Binga, T. D. See Visser, S. A., 1441, 1443
Bistac, S.
—; Cheret, D.; Vallat, M. F.; Schultz, J.: Interphases in Ethylene–Vinyl Acetate Copolymer/Steel Sandwiches, 347
Boiteux, G. See Friedrich, K., 2529
Boiteux, G. See Ulański, J., 1143
Bonfield, W. See Ladizesky, N. H., 1865
Bongiovanni, R. See Malucelli, G., 491
Borredon, E. See Thiebaud, S., 705
Borzatta, V. See Minto, F., 217
Bosnyak, C. P. See Wu, S., 2209
Bouma, R. H. B.
—; Nauta, W. J.; Arnauts, J. E. F.; Van Den Boomgaard, TH.; Steuten, J. M.; Strathmann, H.: Foam Stability Related to Polymer Permeability. I. Low Molecular Weight Additives, 2679
Bovenkamp, J. See Xiao, S., 1833
Boydell, P. See Eriksson, P.-A., 1619, 1631
Bravar, M. See Hrnjak-Murgić, Z., 991
Bremner, T.
—; Hill, D. J. T.; Killeen, M. I.; O'Donnell, J. H.; Pomery, P. J.; St. John. D.; Whittaker, A. K.: Development of Wear-Resistant Thermoplastic Polyurethanes by Blending with Poly(dimethyl siloxane): II. A Packing Model, 939
Brooks, B. W. See Zerfa, M., 127
Brown, G. R. See Caldas, V., 1759
Bruma, M. See Sava, I., 1533
Brunel, S. See Mosquet, M., 2545
Bu, W.
—; Isayev, A. I.: Prepregs and Laminates of Polyetherimide-Reinforced by a Thermotropic LCP, 329
Bucheñska, J.
Modification of Polyester Fibers by Grafting with Poly(acrylic acid), 967
Modified Polyacrylonitrile Fibers (PAN), 1955
Buchhammer, H.-M. See Kramer, G., 41
Buggy, M.
—; O'Byrne, K.: The Effects of Skydrol (A Hydraulic Fluid) on the Network Structure of TGDDM/DDS-Based Resins, 2025

Cádiz, V. See Giménez, V., 1643
Cai, Y.
—; Petermann, J.; Wittich, H.: Transcrystallization in Fiber-Reinforced Isotactic Polypropylene Composites in a Temperature Gradient, 67
Cakmak, M.
—; Kim, J. C.: Necking Mechanism and Its Elimination in Uniaxially Drawn Films of Poly(ethylene naphthalate) (PEN)/ Polyetherimide (PEI) Blends, 2059
Caldas, V.
—; Brown, G. R.; Nohr, R. S.; MacDonald, J. G.; Raboin, L. E.: Enhancement of Tensile Properties of Isotactic Polypropylene Spunbonded Fabrics by a Surface-Modified Silica/Silicone Copolymer Additive, 1759
Campoy, I. See Marco, C., 2665
Canetti, M. See Beltrame, P. L., 1659
Capodanno, V.
—; Petrillo, E.; Romano, G.; Russo, R.; Vittoria, V.: The Effect of Physical Aging on the Properties of Films of Amorphous Poly(Ether ether ketone) (PEEK), 2635
Capps, R. See Su, J., 1363
Carvalho, D. L. See Coutinho, F. M. B., 1227
Casalini, R.
—; Corezzi, S.; Livi, A.; Levita, G.; Rolla, P. A.: Dielectric Parameters to Monitor the Crosslink of Epoxy Resins, 17
Cassagnau, P.
—; Mélis, F.; Michel, A.: Correlation of Linear Viscoelastic Behavior and Molecular Weight Evolution in the Bulk Urethane Polymerization, 2395
Castelli, A. See Beltrame, P. L., 1659
Cavalcanti, M. J. R.
—; Pinto, J. C.: Modeling and Optimization of Suspension SAN Polymerization Reactors, 1683
Caze, C. See Pak, S. H., 143
Cebe, P. See Rich, D. C., 1151
Chabert, B. See Duchet, J., 2481
Chabot, S.
—; Roy, C.; Chowdhury, G.; Matsuura, T.: Development of Polyvinylidene Fluoride Hollow-Fiber Membranes for the Treatment of Water/ Organic Vapor Mixtures, 1263
Chakraborty, B. C. See Patri, M., 549; Ratna, D., 901
Chan, C.-M. See Mi, Y., 295
Chang, C. H. See Yang, J. M., 109
Chang, F.-C. See Chiou, K.-C., 655; Lo, D.-W., 739
Chan, H. S. O. See Ong, C. H., 391

Chan, W.-H.
—; Ng, C.-F.; Lam-Leung, S.-Y.; He, X.; Cheung, O.-C.: Water–Alcohol Separation by Pervaporation Through Poly(amide-sulfonamide)s (PASAs) Membranes, 1113
Chapel, J.-P. See Duchet, J., 2481
Chauchard, J. See Dole, P., 2507
Chauhan, G. S.
—; Guleria, L. K.; Misra, B. N.; Rawat, B. R.: Grafting onto Wool. XXX. Effects of Solvent Composition on the Radiation-Induced Graft Copolymerization of Some Acrylates onto Wool Fiber, 191
Chauhan, R. S. See Murthy, L. V. R., 731
Chen, M. See Pan, Y., 341
Chen, W.-C. See Yang, M.-C., 289
Chen, X.
—; Li, W.; Zhong, W.; Lu, Y.; Yu, T.: pH Sensitivity and Ion Sensitivity of Hydrogels Based on Complex-Forming Chitosan/Silk Fibroin Interpenetrating Polymer Network, 2257
Chen, X. See Lang, M., 1667; Wang, G., 789
Cheret, D. See Bistac, S., 347
Cheung, O.-C. See Chan, W.-H., 1113
Chevalier, Y. See Mosquet, M., 2545
Chiang, C.-R. See Lo, D.-W., 739
Chiang, W.-Y.
—; Tzeng, G.-L.: Effect of the Compatibilizers on Flame-Retardant Polycarbonate (PC)/Acrylonitrile–Butadiene–Styrene (ABS) Alloy, 795
Chian, K. S.
Factors Affecting the Morphology and Mechanical Properties of a Coagulated Thermoplastic Polyurethane, 1947
Chiou, K.-C.
—; Hsu, H.-C.; Chang, F.-C.: Precrack Hysteresis Energy in Determining Polycarbonate Ductile–Brittle Transition. IV. Effect of Strain Rate, 655
Chiu, W.-Y. See Lee, C.-F., 425
Choi, S.-S.
Migration of Antidegradants to the Surface in NR and SBR Vulcanizates, 117
Chowdhury, G. See Chabot, S., 1263
Chung, T.-S.
—; Kafchinski, E. R.: The Effects of Spinning Conditions on Asymmetric 6FDA/6FDAM Polyimide Hollow Fibers for Air Separation, 1555
Claramma, N. M.
—; Mathew, N. M.: Effect of Temperature on Sulfur Prevulcanization of Natural Rubber Latex, 1913
Coen, M. C. See Mäder, D., 567
Cohen, R. E. See Sohn, B. H., 723
Collar, E. P. See García–Martínez, J. M., 1333
Cong, G. See Pan, Y., 341
Cook, J. W.
—; Edge, S.; Packham, D. E.; Thompson, A. S.: The Thermal Behavior of Natural Rubber and Chlorinated Rubber Blends, 1379
Cook, R. C. See Lambert, S. M., 2111
Corain, B. See Bertolin, M., 2201
Corezzi, S. See Casalini, R., 17
Costa, T. H. S. See Coutinho, F. M. B., 1227
Coutinho, F. M. B.
—; Costa, T. H. S.; Carvalho, D. L.: Polypropylene–Wood Fiber Composites: Effect of Treatment and Mixing Conditions on Mechanical Properties, 1227
—; Neves, M. A. F. S.; Dias, M. L.: Porous Structure and Swelling Properties of Styrene–Divinylbenzene Copolymers for Size Exclusion Chromatography, 1257
Covas, J. C. See Soares, B. G., 2141
Cuadrado, T. R. See Abraham, G. A., 1193
Cuillery, P.
—; Gaertner, R.; Tatibouet, J.; Mantel, M.: Structural Effects on Dynamic Features of Sandwich Metal /Polymer/ Metal, 2493
Cui, M.-H.
—; Guo, J.-S.; Xie, H.-Q.; Wu, Z.-H.; Qiu, S.-C.: All-Solid-State Complementary Electrochromic Windows Based on the Oxymethylene-Linked Polyoxyethylene Complexed with $LiClO_4$, 1739
Cun, L. F. See Peng, Y. X., 1883
Cuney, S.
—; Gérard, J. F.; Dumon, M.; Pascault, J. P.; Vigier, G.; Dušek, K.: Hydroxyl-Terminated Oligomers Crosslinked by Alkoxysilane Sol-Gel or Polyurethane Chemistries: A Comparison, 2373
—; See Damian, C., 2579
Cvetkovska, M.
—; Lazarevic, M.; Koseva, S.; Baysal, B.; Hamurcu, E. E.; Uyanik, N.: Macro-Azo-Initiators Having Poly(ethylene glycol) Units: Synthesis, Characterization, and Application to AB Block Copolymerization, 2173

Dai, H. S. See Peng, Y. X., 1883
Damian, C.
—; Espuche, E.; Escoubes, M.; Cuney, S.; Pascault, J. P.: Gas Permeability of Model Polyurethane Networks and Hybrid Organic–Inorganic Materials: Relations with Morphology, 2579
Damink, B. See Kemperman, A. J. B., 1205
D'Amore, A. See Di, Y., 951
Daniels, E. S. See He, Y., 511, 1967; Nelliappan, V., 581
David, L. See Gauthier, C., 2517
De, S. K. See Mallick, A., 135
De Kee, D. See Xiao, S., 1833
Deb, P. C. See Patri, M., 549; Ratna, D., 901
Decker, C.
—; Elzaouk, B.: Laser-induced Cross-linking Polymerization of Acrylic Photoresists, 833
Delair, T. See Ladavière, C., 2567
Delamar, M. See Xiao, G. Z., 449

Delgado, A. V. See Vera, P., 2721
Deng, X. See Zhang, L., 1849
Denizli, A.
—; Salih, B.; Pişkin, E.: Comparison of Metal Chelate Affinity Sorption of BSA onto Dye/Zn(II)-Derived Poly(ethylene glycol dimethacrylate–hydroxyethyl methacrylate) Microbeads, 2085
Derks, F. See Loontjens, T., 1813
Desai, P. See Sharma, V., 2603; Thadani, S., 2613
Di, Y.
—; Acierno, D.; D'Amore, A.; Nobile, R.; Nicolais, L.: Capillary Extrusion Behavior of Phenolphthalein Poly(ether-ether-sulphone) (PES-C), 951
Dias, M. L. See Coutinho, F. M. B., 1257
Dinçer, B.
—; Mustafaev, M. I.; Bayülken, S.: High-Performance Liquid Chromatography Study of Water-Soluble Ternary Polyacrylamide–Metal–Protein Complexes, 37
Divekar, P. K. See Gupta, D. C., 355
Dole, P.
—; Chauchard, J.: Thermal Aging of Polyethylene-*co*-methyl Acrylate Elastomer Activation Energies of Physical and Physicochemical Mechanisms, 2507
Domard, A. See Ladavière, C., 2567
Don, S. See Kim, S., 1795
Dorau, K. See Urbanczyk, G., 807
D'Orazio, L.
—; Guarino, R.; Mancarella, C.; Martuscelli, E.: Isotactic Polypropylene/Polystyrene Blends: Effects of the Addition of a Graft Polymer of Propylene with Styrene, 1539
Dos Santos, A. M.
—; McKenna, T. F.; Guillot, J.: Emulsion Copolymerization of Styrene and *n*-Butyl Acrylate in Presence of Acrylic and Methacrylic Acids: Effect of pH on Kinetics and Carboxyl Group Distribution, 2343
Dounis, D. V.
—; Wilkes, G. L.: Influence of Diethanolamine on Hard Segment Ordering in Flexible Polyurethane Foams, 525
Duchet, J.
—; Chapel, J.-P.; Chabert, B.; Spitz, R.; Gérard, J.-F.: Synthesis and Grafting Ability of Silane-Terminated Polyethylenes on Silica Surfaces, 2481
Duda, J. L. See Hong, S.-U., 51
Dumon, M. See Cuney, S., 2373
Dupuy, J.
—; Spitz, R.: Modification of Ziegler–Natta Catalysts by Cyclopentiadienyl-Type Ligands: Activation of Titanium-Based Catalysts, 2281
Dušek, K. See Cuney, S., 2373

Easawi, K. H. See Fouda, I. M., 1293
Edge, S. See Cook, J. W., 1379
Eguiazabal, J. I. See Arzak, A., 1503
Eisenberg, P.
—; Lucas, J. C.; Williams, R. J. J.: Unsaturated Polyesters: Influence of the Molar Mass on the Cure with Styrene and the Properties of the Resulting Networks, 755
El-Aasser, M. S. See He, Y., 511, 1967; Nelliappan, V., 581
Elaíssari, A. See Ganachaud, F., 2315; Sauzedde, F., 2331
Ellis, G. See Marco, C., 2665
El-Naggar, A. M.
—; Emara, A. S.; Abd Alla, S. G.: Effect of Gamma Irradiation on the Metal Sorption and Separation of Some Divalent Metals by Some New Polymeric Bifunctional Resins, 1091
El-Sharkawy, F. M. See Hamza, A. A., 2031
El-Tonsy, M. M. See Fouda, I. M., 1293
Elzaouk, B. See Decker, C., 833
Emara, A. S. See El-Naggar, A. M., 1091
Endo, F. See Mochizuki, A., 1713
Eriksson, K. See Eriksson, P.-A., 1619
Eriksson, P.-A.
—; Boydell, P.; Eriksson, K.; Månson, J.-A. E.; Albertsson, A.-C.: Effect of Thermal-Oxidative Aging on Mechanical, Chemical, and Thermal Properties of Recycled Polyamide 66, 1619
—; Boydell, P.; Månson, J.-A. E.; Albertsson, A.-C.: Durability Study of Recycled Glass-Fiber-Reinforced Polyamide 66 in a Service-Related Environment, 1631
Erismann, F.
—; Fong, H.; Graef, G. L.; Risbud, S. H.: IR Optical Properties of ZnS/ZnSe-Modified High-Density Polyethylene, 2727
Ershad-Langroudi, A.
—; Mai, C.; Vigier, G.; Vassoille, R.: Hydrophobic Hybrid Inorganic–Organic Thin Film Prepared by a Sol-Gel Process for Glass Protection and Strengthening Applications, 2387
Escoubes, M. See Damian, C., 2579
Espuche, E. See Damian, C., 2579

Fanta, G. F.
—; Shogren, R. L.: Modification of Starch–Poly(methyl acrylate) Graft Copolymers by Steam Jet Cooking, 1021
Farahani, M.
—; Antonucci, J. M.; Phinney, C. S.; Karam, L. R.: Mass Spectrometric Analysis of Polymers Derived from *N*-Aryl-α-Amino Acid Initiators, 561
Fatou, J. G. See Marco, C., 2665
Fauvarque, J. F. See Salmon, E., 601
Favero, G. See Bertolin, M., 2201
Feng, J. See Mi, Y., 295
Feng, L. See Xu, J., 925
Feng, N. See Lang, M., 1667
Ferrar, W. T. See Visser, S. A., 1441, 1443
Ferrero, F. See Malucelli, G., 491

Fisa, B. See Meddad, A., 2013
Fiske, T. J.
—; Gokturk, H.; Kalyon, D. M.: Enhancement of the Relative Magnetic Permeability of Polymeric Composites with Hybrid Particulate Fillers, 1371
Fitzgerald, J. J. See Visser, S. A., 1441, 1443
Földes, E.
—; Lohmeijer, J.: Polymer/Additive Compatibility: Study of Primary Antioxidants in PBD, 761
Fong, H. See Erismann, F., 2727
Fonseca, J. L. C. See Monteiro, E. E. C., 2227
Fontecha, A. See Marco, C., 2665
Fouda, I. M.
—; El-Tonsy, M. M.; Metawe, F. M.; Hosny, H. M.; Easawi, K. H.: Optothermal Properties of Fibers. VII. Optical Investigation of Annealed Nylon-6 Fibers, 1293
—; See Hamza, A. A., 2031
Freakley, P. K.
—; Sirisinha, C.: The Influence of State-of-Mix on the Extrudate Swell of a Carbon Black-Filled Styrene–Butadiene Rubber Compound, 305
Friedrich, CHR. See Lobbrecht, A., 209
Friedrich, K.
—; Vinh–Tung, C.; Boiteux, G.; Seytre, G.; Ulański, J.: Buildup of Thermoset and Crystallization of Thermoplastics Studied by Electrical Techniques, 2529
—; See Ulański, J., 1143
Frontini, P. M. See Abraham, G. A., 1193
Fukuda, A. See Kubota, H., 1313
Fukuda, W. See Iijima, T., 1349, 1451
Fukuoka, T. See Mochizuki, A., 1723
Fukushima, A. See Iwata, T., 1511
Funae, Y. See Matsuda, T., 2247
Furusawa, K. See Kunioka, M., 1889
Gaertner, R. See Cuillery, P., 2493
Gailliez-Degremont, E.
—; Bacquet, M.; Laureyns, J.; Morcellet, M.: Polyamines Adsorbed onto Silica Gel: A Raman Microprobe Analysis, 871
Gallardo, V. See Vera, P., 2721
Gallot, B.
—; Lenclud, A.-L.; He, L.: Thermotropic Comblike Polymers with Lipobiphenyl Side Chains: Factors Governing Nature of Mesophases, 2407
Galy, J. See Georjon, O., 2471
Ganachaud, F.
—; Sauzedde, F.; Elaïssari, A.; Pichot, C.: Emulsifier-Free Emulsion Copolymerization of Styrene with Two Different Amino-Containing Cationic Monomers: I. Kinetic Studies, 2315
—; See Sauzedde, F., 2331
Gao, F.
—; Xu, Y.: Polymeric Pseudocrown Ether Resins Containing Azacrown and Azathiacrown Ethers: Synthesis and Adsorption for Metal Ions, 931
Gao, Q.-Y. See Yu, S.-Y., 481
Garcia, R.
—; Pizzi, A.; Merlin, A.: Ionic Polycondensation Effects on the Radical Autocondensation of Polyflavonoid Tannins: An ESR Study, 2623
García–Martínez, J. M.
—; Laguna, O.; Collar, E. P.: Role of Reaction Time in Batch Process Modification of Atactic Polypropylene by Maleic Anhydride in Melt, 1333
Garro–Galvez, J. M.
—; Riedl, B.: Pyrogallol–Formaldehyde Thermosetting Adhesives, 399
Gauthier, C.
—; David, L.; Ladouce, L.; Quinson, R.; Perez, J.: Nonlinear Mechanical Response of Amorphous Polymers Below and through Glass Transition Temperature, 2517
Gauvin, P. See Wloczysiak, P., 1595
Gawdzik, B. See Matynia, T., 1525
Georjon, O.
—; Galy, J.: Effects of Crosslink Density on Mechanical Properties of High Glass Transition Temperature Polycyanurate Networks, 2471
Gérard, J. F. See Becu, L., 2419; Cuney, S., 2373; Duchet, J., 2481
Gesser, H. D. See McComb, M. E., 1175
Giménez, V.
—; Mantecón, A.; Ronda, J. C.; Cádiz, V.: Poly(vinyl alcohol) Modified with Carboxylic Acid Anhydrides: Crosslinking Through Carboxylic Groups, 1643
Girard–Reydet, E.
—; Vicard, V.; Pascault, J. P.; Sautereau, H.: Polyetherimide-Modified Epoxy Networks: Influence of Cure Conditions on Morphology and Mechanical Properties, 2433
Gleria, M. See Minto, F., 217
Gnanasundaram, P. See Thamizharasi, S., 1285
Godet, M. See Salmon, E., 601
Goh, S. H. See Ong, C. H., 391
Gokturk, H. See Fiske, T. J., 1371
Gómez, M. A. See Marco, C., 2665
Gong, D. See Kaang, S., 917
Gould, S. A. C.
—; Schiraldi, D. A.; Occelli, M. L.: Analysis of Poly(ethylene terephthalate) (PET) Films by Atomic Force Microscopy, 1237
Goux, A. See Guyot, A., 2289
Gozzelino, G. See Malucelli, G., 491
Graef, G. L. See Erismann, F., 2727
Grégoire, M. See Pesneau, I., 2457
Gu, T. See Yin, W., 1

Guarino, R. See D'Orazio, L., 1539
Guicquero, J. P. See Mosquet, M., 2545
Guillot, J. See Dos Santos, A. M., 2343; Martinet, F., 2297
Guinot, S. See Salmon, E., 601
Guleria, L. K. See Chauhan, G. S., 191
Gunatillake, P. See McCarthy, S. J., 1319
Güner, A.
Spectrophotometric Behavior of Poly(vinylpyrrolidone) in Aqueous Solutions: II. The Effects of Denaturing Agents, 1307
Guo, J.-S. See Cui, M.-H., 1739
Guo, Q. See Mi, Y., 295
Guo, X.-Y.
—; Rempel, G. L.: Catalytic Hydrogenation of Nitrile–Butadiene Copolymer Emulsion, 667
Gupta, B. R. See Mallick, A., 135
Gupta, D. C.
—; Divekar, P. K.; Phadke, V. K.: HTPB-Based Polyurethanes for Inhibition of Composite-Modified Double-Base (CMDB) Propellents, 355
Gupta, K.
—; Yaseen, M.: Viscosity–Temperature Relationship of Dilute Solution of Poly(vinyl chloride) in Cyclohexanone and in Its Blends with Xylene, 2749
Gupta, V. B.
—; Mondal, S. A.; Bhuvanesh, Y. C.: Spinning Speed–Throughput Rate Relationships for Polyester, Nylon, and Polypropylene Fibers, 1773
Guyot, A.
—; Goux, A.: Styrene Emulsion Polymerization in the Presence of a Maleate-Functional Surfactant, 2289

Haga, T. See Mori, R., 155
Hamaide, T. See Tortosa, K., 2357
Hamurcu, E. E. See Cvetkovska, M., 2173
Hamza, A. A.
—; Fouda, I. M.; Kabeel, M. A.; Seisa, E. A.; El-Sharkawy, F. M.: Optothermal Properties of Fibers. VIII. Structure Orientation Study of Annealed Egyptian Polyester Fibers, 2031
Han, S.
—; Moon, T. J.; Kim, T. J.; Im, S. S.; Bae, Y. C.: Physical Properties of Poly(ethylene adipate)/Low-Density Polyethylene Blends, 1745
Han-Adebekun, G. C.
—; Ray, W. H.: Polymerization of Olefins through Heterogeneous Catalysis. XVII. Experimental Study and Model Interpretation of Some Aspects of Olefin Polymerization over a $TiCl_4$/$MgCl_2$ Catalyst, 1037
Hara, M.
—; Higuchi, M.; Minoura, N.; Higuchi, A.: Recognition of Hormones by Membrane Potential and Circular Dichroism of Immobilized Protein Membranes, 251
Harlapur, S. F. See Aminabhavi, T. M., 635
Hasegawa, T. See Adachi, H., 1395
Hassan, A. M. See Saad, A. L. G., 27
Hassan, H. M. See Shahada, L., 1653
Hassiruzzaman, M.
—; Khan, M. A.; Ali, K. M. I.: Effect of Benzohydroxamato-Ethylenediamine-Titanium Complex on Modification of Jute and Cotton Yarns by UV-Radiation-Induced Urethane Acrylate, 1571
He, L. See Gallot, B., 2407
He, T. See Zhou, J., 1857
He, X. See Chan, W.-H., 1113
He, Y.
—; Daniels, E. S.; Klein, A.; El-Aasser, M. S.: Grafting Behavior of *n*-Butyl Acrylate onto Poly(butadiene-*co*-styrene) Latexes, 511
—; Daniels, E. S.; Klein, A.; El-Aasser, M. S.: Study of the Consumption of TMI® in Latex Using Attenuated Total Reflectance FTIR (ATR–FTIR), 1967
Heino, M.
—; Kirjava, J.; Hietaoja, P.; Seppälä, J.: Compatibilization of Polyethylene Terephthalate/Polypropylene Blends with Styrene-Ethylene/Butylene-Styrene (SEBS) Block Copolymers, 241
Herrera-Franco, P. J.
—; Aguilar-Vega, M. De J.: Effect of Fiber Treatment on the Mechanical Properties of LDPE–Henequen Cellulosic Fiber Composites, 197
Hewitt, C. E. See Visser, S. A., 1441, 1443
Hietalahti, K.
—; Root, A.; Skrifvars, M.; Sundholm, F.: Crosslinking of Unsaturated Polyester Resins Studied by Low-Resolution ^{1}H-NMR Spectroscopy, 77
Hietaoja, P. See Heino, M., 241
Higuchi, A. See Hara, M., 251
Higuchi, M. See Hara, M., 251
Hill, D. J. T. See Bremner, T., 939
Hill, M. J.
—; Puig, C. C.: Liquid–liquid Phase Separation in Blends of a Linear Low-Density Polyethylene with a Low-Density Polyethylene, 1921
Hokudoh, T. See Kuroki, T., 1031
Homma, T. See Tazaki, M., 1517
Hong, S.-U.
—; Duda, J. L.: Penetrant Transport in Polyethylene–Polystyrene Semi-Interpenetrating Polymer Networks, 51
Hoshi, M.
—; Kogure, M.; Saitoh, T.; Nakagawa, T.: Separation of Aqueous Phenol through Polyurethane Membranes by Pervaporation, 469
Hosny, H. M. See Fouda, I. M., 1293
Hrnjak-Murgić, Z.
—; Jelenčić, J.; Bravar, M.; Marovic, M.: Influence of the Network on the Interaction

Parameter in System EPDM Vulcanizate–Solvent, 991
Hsieh, F. See Lin, Y., 695
Hsu, H.-C. See Chiou, K.-C., 655
Hsu, Y. G. See Yang, J. M., 109
Hu, P. See Sun, Y., 959
Hua, Z. See Ling, H., 1837
Huang, J.
—; Huang, X.; Liu, H.: Photochemical-Induced Polymerization Kinetics of Styrene and Methyl Methacrylate by Initiation of Binary System Composed of Polyethylene Oxide with Aniline End Group and Benzophenone, 2095
Huang, K. S.
—; Min, R. R.; Yen, M. S.: The Effects of Pregrafting Cotton Fabrics with MAA/MAM on the Dyeing Kinetics of Direct Dyes in a Finite Bath, 1139
Huang, P.-Y. See Yang, J.-M., 365
Huang, X. See Huang, J., 2095
Huang, Y. See Pan, Y., 341
Huang, Z. See Zhang, L., 1849
Huff, H. E. See Lin, Y., 695

Iijima, T.
—; Ohnishi, K.; Fukuda, W.; Tomoi, M.: Modification of Bismaleimide Resin with *N*-Phenylmaleimide-Styrene-*p*-Hydroxystyrene and *N*-Phenylmaleimide-Styrene-*p*-Allyloxystyrene Terpolymers, 1451
—; Shiono, H.; Fukuda, W.; Tomoi, M.: Toughening of Bismaleimide Resin by Modification with Poly(ethylene phthalate) and Poly(ethylene phthalate-*co*-ethylene isophthalate), 1349
Ikehara, T. See Lee, J.-C., 409
Im, S. S. See Han, S., 1745
Iroh, J. O. See Su, W., 417, 617
Isayev, A. I. See Bu, W., 329
Iso, M. See Omi, S., 2655
Iwata, T.
—; Fukushima, A.; Okamura, K.; Azuma, J.-I.: DSC Study on Regioselectively Substituted Cellulose Heteroesters, 1511

Jang, J. See Shin, S., 2237
Jantas, R.
Synthesis and Characterization of Acryloyloxystarch, 2123
Järvelä, P. A.
—; Shucai, L.; Järvelä, P. K.: Dynamic Mechanical and Mechanical Properties of Polypropylene/Poly(vinyl butyral)/Mica Composites, 2003
Järvelä, P. K. See Järvelä, P. A., 2003
Jelenčić, J. See Hrnjak-Murgić, Z., 991
Jeon, B. D. See Aly, A. S., 1939
Jeziorny, A. See Urbanczyk, G., 807
Jianjin, N. See Ling, H., 1837
John, S. A.
—; Ramaraj, R.: Regulation of Dye Assembly Within Wet and Dry Nafion Films, 777
John, T. See Rezac, M. E., 1983
Jurkowski, B.
—; Olkhov, Y. A.: New Aspects of Polyamide 6 Mixing in Molten State with Low-Density Polyethylene, 1807
—; See Olkhov, Y., 499; Pesetskii, S. S., 1493

Kaang, S.
—; Gong, D.; Nah, C.: Some Physical Characteristics of Double-Networked Natural Rubber, 917
Kabeel, M. A. See Hamza, A. A., 2031
Kafchinski, E. R. See Chung, T.-S., 1555
Kakavas, P. A.
Fracture Analysis of Bonded Elastomeric Disks Subjected to Triaxial Stress, 1821
Kaliyappan, T. See Murugavel, S. C., 2151
Kalyon, D. M. See Fiske, T. J., 1371
Kandpal, L. D. See Alam, S., 861
Kaneko, K. See Omi, S., 2655
Kannan, P. See Murugavel, S. C., 2151
Kantouch, A. See Bendak, A., 2773
Kaptan, H. Y.
—; Tatar, L.: An Electron Spin Resonance Study of Mechanical Fracture of Poly(methyl methacrylate), 1161
Kar, K. K.
—; Bhowmick, A. K.: High-Strain Hysteresis of Rubber Vulcanizates Over a Range of Compositions, Rates, and Temperatures, 1429
Karakişla, M. See Saçak, M., 1103
Karam, L. R. See Farahani, M., 561
Kassem, M. E. See Shahada, L., 1653
Katami, K. See Omi, S., 2655
Kawahara, Y.
—; Shioya, M.: Mechanical Properties of Tussah Silk Fibers Treated with Methacrylamide, 2051
Kemperman, A. J. B.
—; Damink, B.; van den Boomgaard, Th.; Strathmann, H.: Stabilization of Supported Liquid Membranes by Gelation With PVC, 1205
Khan, F.
—; Ahmad, S. R.: Graft Copolymerization Reaction of Water-Emulsified Methyl Methacrylate With Preirradiated Jute Fiber, 459
Khan, M. A. See Hassiruzzaman, M., 1571
Kikutani, T. See Miyata, K., 1415
Killeen, M. I. See Bremner, T., 939
Kim, B. S.
Effect of Cyanate Ester on the Cure Behavior and Thermal Stability of Epoxy Resin, 85
Kim, C. H. See Su, J., 1363
Kim, E.-Y.
—; An, S.-K.; Kim, H.-D.: Graft Copolymerization of ϵ-Caprolactam onto Kevlar-49 Fiber Surface and Properties of Grafted Kevlar Fiber Reinforced Composite, 99
Kim, H.-D. See Kim, E.-Y., 99
Kim, J. C. See Cakmak, M., 2059
Kim, J. L. See Suh, K. D., 821
Kim, J. Y.
—; Lee, H. K.; Baik, K. J.; Kim, S. C.: Liquid–Liquid Phase

Separation in Polysulfone/Solvent/Water Systems, 2643
—; See Suh, K. D., 821
Kim, S.
—; Don, S.; Mainwaring, D. E.: Effect of Ion-Binding on the Formation of Temporary Viscoelastic Networks of Proanthocyanidin Biopolymers, 1795
Kim, S. C. See Kim, J. Y., 2643
Kim, S. Y. See Shin, H. S., 685
Kim, T. J. See Han, S., 1745
Kim, W. G.
—; Ryu, J. H.: Physical Properties of Epoxy Molding Compound for Semiconductor Encapsulation According to the Coupling Treatment Process Change of Silica, 1975
Kirjava, J. See Heino, M., 241
Kitano, S. See Narisawa, M., 261
Klein, A. See He, Y., 511, 1967; Nelliappan, V., 581; Sambasivam, M., 1001
Kocher, C. W. See Krongauz, V. V., 1271
Kogure, M. See Hoshi, M., 469
Kojima, Y.
—; Matsuoka, T.; Takahashi, H.; Kurauchi, T.: High-Pressure Synthesis of Polystyrene-Bound C_{60} Gel (note), 2781
Konstantinova, T. See Miloshev, S., 91
Koseva, S. See Cvetkovska, M., 2173
Koshiro, S. See Shimizu, T., 179
Kowalska, S. See Urbanczyk, G., 807
Kramer, G.
—; Buchhammer, H.-M.; Lunkwitz, K.: Surface Modification by Polyelectrolyte Complexes: Influence of Modification Procedure, Polyelectrolyte Components, and Substrates, 41
Kressler, J. See Mäder, D., 567
Krivoguz, Y. M. See Pesetskii, S. S., 1493
Krongauz, V. V.
—; Kocher, C. W.: Kinetics of Ion Exchange in Monodisperse Resin, 1271
Kubota, H.
—; Fukuda, A.: Photopolymerization Synthesis of Poly(*N*-isopropylacrylamide) Hydrogels, 1313
Kumar, A. See Sailaja, R. R. N., 845
Kumar K., S. See Thorat, H. B., 2715
Kunioka, M.
—; Furusawa, K.: Poly(γ-Glutamic Acid) Hydrogel Prepared from Microbial Poly(γ-Glutamic Acid) and Alkanediamine with Water-Soluble Carbodiimide, 1889
Künzler, J.
—; Ozark, R.: Methacrylate-Capped Fluoro Side Chain Siloxanes: Synthesis, Characterization, and Their Use in the Design of Oxygen-Permeable Hydrogels, 1081
Kuo, S.-C. See Yen, M.-S., 883
Kurauchi, T. See Kojima, Y., 2781
Kuroki, T.
—; Tanaka, Y.; Hokudoh, T.; Yabuki, K.: Heat Resistance Properties of Poly(*p*-phenylene-2,6-benzobisoxazole) Fiber, 1031
La Mantia, F. P. See Mlecnik, E., 2761
Lacoste, J. See Vaillant, D., 609
Ladavière, C.
—; Veron, L.; Delair, T.; Domard, A.; Pichot, C.; Mandrand, B.: Reactive Polymers in Diagnostics: Syntheses and Characterizations of Nucleic Acid Probes and Maleic Anhydride-*co*-Methyl Vinyl Ether Polymers, 2567
Ladizesky, N. H.
—; Ward, I. M.; Bonfield, W.: Hydroxyapatite/High-Performance Polyethylene Fiber Composites for High-Load-Bearing Bone Replacement Materials, 1865
Ladouce, L. See Gauthier, C., 2517
Laguna, O. See García–Martínez, J. M., 1333
Lambert, S. M.
—; Overturf, G. E., III; Wilemski, G.; Letts, S. A.; Cook, R. C.; Schroen-Carey, D.: Fabrication of Low-Density Foam Shells from Resorcinol–Formaldehyde Aerogel, 2111
Lam-Leung, S.-Y. See Chan, W.-H., 1113
Lang, M.
—; Zhang, G.; Feng, N.; Li, S.; Chen, X.: Poly(ethylene glycol)-*Block*-Poly(butyl acrylate). I. Synthesis, 1667
Laureyns, J. See Gailliez-Degremont, E., 871
Law, S. J.
—; Mukhopadhyay, S. K.: The Construction of a Phase Diagram for a Ternary System Used for the Wet Spinning of Acrylic Fibers Based on a Linearized Cloudpoint Curve Correlation, 2131
Lazarevic, M. See Cvetkovska, M., 2173
Le Perchec, P. See Mosquet, M., 2545
Lee, C.-F.
—; Chiu, W.-Y.: Kinetic Study on the Poly(methyl methacrylate) Seeded Soapless Emulsion Polymerization of Styrene. III. Seeds with Crosslinking, 425
Lee, D.-K.
—; Tsai, H.-B.: Synthesis and Properties of Poly(alkylene *p,p'*-bibenzoate-*co*-adipate)s, 893
Lee, H. K. See Kim, J. Y., 2643
Lee, J.-C.
—; Nakajima, K.; Ikehara, T.; Nishi, T.: Conductive-Filler-Filled Poly(ε-caprolactone)/Poly(vinyl butyral) Blends. II. Electric Properties (Positive Temperature Coefficient Phenomenon), 409
Lee, W.-F.
—; Yeh, P.-L.: Thermoreversible Hydrogels. II. Effect of Some Factors on the Swelling Behavior of *N,N*-Dimethylacrylamide and *n*-Butoxymethyl Acrylamide Copolymeric Gels, 909
Lee, Y. M. See Shin, H. S., 685
Lemaire, J. See Vaillant, D., 609

Lenclud, A.-L. See Gallot, B., 2407
Leroux, D. See Revillon, A., 2557
Letts, S. A. See Lambert, S. M., 2111
Leung, L. M. See Pan, Y., 341
Levita, G. See Casalini, R., 17
Li, B. See Zhou, J., 1857; Zhuang, G., 649
Li, F.-M. See Yu, S.-Y., 481
Li, G. See Zhou, J., 1857
Li, J.
—; Revol, J.-F.; Marchessault, R. H.: Effect of Degree of Deacetylation of Chitin on the Properties of Chitin Crystallites, 373
Li, J. See Yin, W., 1
Li, M. See Wang, G., 789
Li, S. See Lang, M., 1667
Li, W. See Chen, X., 2257; Wang, H., 1445
Li, Y.
—; Yang, J.: Effect of Electrolyte Concentration on the Properties of the Electropolymerized Polypyrrole Films, 2739
Li, Z.-C. See Yu, S.-Y., 481
Liao, B. See Pan, Y., 341
Liaw, D.-J.
Preparation and Properties of Flame-Retardant Polyphosphate Esters: Low-Temperature Solution Polycondensation of 3,3′,5,5′-Tetrabromobisphenol AF and Aryl Phosphorodichloridates, 59
Lin, W.-P. See Wang, H.-H., 1581
Lin, Y.
—; Hsieh, F.; Huff, H. E.: Water-Blown Flexible Polyurethane Foam Extended with Biomass Materials, 695
Ling, H.
—; Xingxiang, Z.; Hua, Z.; Jianjin, N.; Xuecheng, W.: Structures and Properties of Modified Ethylcellulose Oxygen-Enriched Membranes (Note), 1837
Lipp-Symonowicz, B. See Urbanczyk, G., 807
Liu, C. See Yin, W., 1
Liu, H. See Huang, J., 2095
Liu, H. See Yin, W., 1
Liu, J. L. See Peng, Y. X., 1883
Liu, Y. See Sun, Y., 959
Livi, A. See Casalini, R., 17
Llauro, M. F. See Pesneau, I., 2457
Lo, D.-W.
—; Chiang, C.-R.; Chang, F.-C.: Reactive Compatibilization of PET and PPE Blends by Epoxy Couplers, 739
Lobbrecht, A.
—; Friedrich, CHR.; Sernetz, F. G.; Mülhaupt, R.: Viscoelastic Properties of Poly(ethylene-*co*-styrene) Copolymers, 209
Lohmeijer, J. See Földes, E., 761
Loontjens, T.
—; Pauwels, K.; Derks, F.; Neilen, M.; Sham, C. K.; Serné, M.: The Action of Chain Extenders in Nylon-6, PET, and Model Compounds, 1813
Lora, S. See Bertolin, M., 2201
Lu, X.
—; Xu, G.: Thermally Conductive Polymer Composites for Electronic Packaging, 2733
Lu, Y. See Chen, X., 2257; Wang, H., 1445
Lubczak, J.
Study of Reaction Between *N,N,N′,N′,N″*-Pentakis(hydroxymethyl)-melamine and Ethylene or Propylene Oxide, 2589
Lucas, J. C. See Eisenberg, P., 755
Lunkwitz, K. See Kramer, G., 41
Luo, S.-G.
—; Tan, H.-M.; Zhang, J.-G.; Wu, Y.-J.; Pei, F.-K.; Meng, X.-H.: Catalytic Mechanisms of Triphenyl Bismuth, Dibutyltin Dilaurate, and Their Combination in Polyurethane-Forming Reaction, 1217

Ma, G.-H. See Omi, S., 2655
Ma, M. See Sun, Y., 959
Maazouz, A. See Becu, L., 2419
MacDonald, J. G. See Caldas, V., 1759
Mäder, D.
—; Coen, M. C.; Kressler, J.; Mülhaupt, R.; Weber, M.: The Interfacial Reaction of Modified Poly(arylether sulfone)s and Polyaramides, 567
Maeda, H. See Shindo, T., 1675
Mahesh, G. N.
—; Banu, P.; Radhakrishnan, G.: Investigations on Polyurethane Ionomers. II. 3,4-Dihydroxycinnamic Acid-Based Anionomers, 2105
Mai, C. See Ershad-Langroudi, A., 2387
Mainwaring, D. E. See Kim, S., 1795
Malhotra, B. D. See Pandey, S. S., 2745
Mallick, A.
—; Bhattacharya, A. K.; Gupta, B. R.; Tripathy, D. K.; De, S. K.: Effect of HAF Carbon Black Filler on Chemorheological Behavior of Poly(acrylic acid)–Epoxidized Natural Rubber Blend, 135
Malucelli, G.
—; Gozzelino, G.; Ferrero, F.; Bongiovanni, R.; Priola, A.: Synthesis of Poly(propylene-Glycol-Diacrylates) and Properties of the Photocured Networks, 491
Mancarella, C. See D'Orazio, L., 1539
Mandrand, B. See Ladavière, C., 2567
Månson, J.-A. E. See Eriksson, P.-A., 1619, 1631
Mantecón, A. See Giménez, V., 1643
Mantel, M. See Cuillery, P., 2493
Manzur, A.
—; Olayo, R.; Ramos, E.: Effect of EPDM on LDPE/LLDPE Blends: Mechanical Properties, 677
Marchessault, R. H. See Li, J., 373
Marco, C.
—; Ellis, G.; Gómez, M. A.; Fatou, J. G.; Arribas, J. M.; Campoy, I.; Fontecha, A.: Rheological Properties, Crystallization, and Morphology of Compatibilized Blends of Isotactic Polypropylene and Polyamide, 2665
Marovic, M. See Hrnjak-Murgić, Z., 991

Marsh, R. A. See Munichandraiah, N., 2191
Martinet, F.
—; Guillot, J.: Copolymerization with Depropagation: Experiments and Prediction of Kinetics and Properties of α-Methylstyrene/Methyl Methacrylate Copolymers. Part I: Solution Copolymerization, 2297
Martinez-Quiroz, E. See Rodríguez, A. S., 187
Martuscelli, E. See Abbate, M., 979; D'Orazio, L., 1539
Mathew, N. M. See Claramma, N. M., 1913
Mathur, G. N. See Saroop, M., 2691, 2703
Matsuda, T.
—; Funae, Y.; Yoshida, M.; Yamamoto, T.; Takaya, T.: Optical Material Having High Refractive Index, Low Specific Gravity, and Excellent Impact Resistance Prepared by Unsaturated Nitrile–Polyfunctional Methacrylate–Styrenic Monomer Copolymerization, 2247
Matsuoka, T. See Kojima, Y., 2781
Matsushima, K. See Mochizuki, A., 1723
Matsuura, T. See Chabot, S., 1263
Matynia, T.
—; Gawdzik, B.: Glycidyl Amine Adducts as Accelerators for the Curing of Unsaturated Polyester Resin, 1525
McCarthy, S. J.
—; Meijs, G. F.; Gunatillake, P.: Synthesis, Characterization, and Stability of Poly[(alkylene oxide) ester] Thermoplastic Elastomers, 1319
McComb, M. E.
—; Gesser, H. D.: Preparation of Polyacryloamidoxime Chelating Cloth for the Extraction of Heavy Metals from Water, 1175
McKenna, T. F. See Dos Santos, A. M., 2343
Mechin, F. See Samson, N., 2265
Meddad, A.
—; Fisa, B.: A Model for Filler–Matrix Debonding in Glass Bead-Filled Viscoelastic Polymers, 2013
Meichsner, J. See Nitschke, M., 381
Meijs, G. F. See McCarthy, S. J., 1319
Mélis, F. See Cassagnau, P., 2395
Meng, X.-H. See Luo, S.-G., 1217
Menon, A. R. R.
Stress-Relaxation Characteristics of Natural Rubber Modified with Phosphorylated Cashew Nut Shell Liquid Prepolymer, 2183
Mercer, F. See Sava, I., 1533
Merlin, A. See Garcia, R., 2623
Metawe, F. M. See Fouda, I. M., 1293
Mi, Y.
—; Feng, J.; Chan, C.-M.; Guo, Q.: Blends of the Alternating Ethylene–Tetrafluoroethylene Copolymer with Poly(vinylidene fluoride), 295
Michel, A. See Cassagnau, P., 2395; Pesneau, I., 2457
Miloshev, S.
—; Konstantinova, T.; Novakov, K.; Novakov, P.: On The Copolymerization of Styrene and Methyl Methacrylate with Some Monomeric Benzanthrone-Derivative Dyes, 91
Min, R. R. See Huang, K. S., 1139
Minoura, N. See Hara, M., 251
Minto, F.
—; Borzatta, V.; Bertani, R.; Gleria, M.: Functionalization of Polyorganophosphazenes. VII. Photooxidative Stabilization of Aryloxy-Substituted Polyorganophosphazenes Induced by Grafting HALS Groups Through Anhydride Moieties, 217
Miola, C. See Tortosa, K., 2357
Misra, B. N. See Chauhan, G. S., 191
Miyata, K.
—; Kikutani, T.; Okui, N.: Fiber Structure Formation in Ultra-High-Speed Melt Spinning of Poly(ethylene 2,6-naphthalene dicarboxylate), 1415
Mlecnik, E.
—; La Mantia, F. P.: Influence of Calcium-Based Fillers and Vegetable Oil on the Processability and Yield Behavior of Polyolefins, 2761
Mochizuki, A.
—; Seita, Y.; Endo, F.; Nishi, T.; Saiga, N.; Yamashita, S.: Polyether-Segmented Nylon Hemodialysis Membranes. II. Morphologies and Permeability Characteristics of Polyether-Segmented Nylon 610 Membrane Prepared by the Phase Inversion Method, 1713
—; Seita, Y.; Nakazaki, T.; Fukuoka, T.; Matsushima, K.; Yamashita, S.: Polyether-Segmented Nylon Hemodialysis Membranes. III. Preparation and Properties of New Polyether-Segmented Nylon, 1723
—; Seita, Y.; Saiga, N.; Yamashita, S.: Polyether-Segmented Nylon Hemodialysis Membranes. IV. Membrane Morphologies and Permeability Characteristics of Dialysis Membrane Composed of Poly(ethylene oxide)-Segmented Ny69/M10, 1731
—; See Seita, Y., 1703
Mondal, S. A. See Gupta, V. B., 1773
Monteiro, E. E. C.
—; Fonseca, J. L. C.: Phase Segregation and Viscoelastic Behavior of Poly-(ether urethane urea)s, 2227
Moon, T. J. See Han, S., 1745
Morcellet, M. See Gailliez-Degremont, E., 871
Moresoli, C. See Xiao, S., 1833
Mori, R.
—; Haga, T.; Takagishi, T.: Changes in Dyeability and Morphology of Cotton Fiber Subjected to Cellulase Treatment, 155

Mosquet, M.
—; Chevalier, Y.; Brunel, S.; Guicquero, J. P.; Le Perchec, P.: Polyoxyethylene Di-Phosphonates as Efficient Dispersing Polymers for Aqueous Suspensions, 2545
Moszner, N. See Pavlinec, J., 165
Mukhopadhyay, S. K.
—; Basu, D.; Banerjee, A.: DSC, FTIR, and TGA Studies on Crosslinking and Thermal Behavior of Vinyl Acetate–2-Ethylhexyl Acrylate Copolymer and Hexamethoxymethylmelamine Blends, 2075
—; See Law, S. J., 2131
Mülhaupt, R. See Lobbrecht, A., 209; Mäder, D., 567
Munaretto, G. See Beltrame, P. L., 1659
Munichandraiah, N.
—; Sivasankar, G.; Scanlon, L. G.; Marsh, R. A.: Characterization of PEO–PAN Hybrid Solid Polymer Electrolytes, 2191
Muralidhara Rao, N. See Babu, P. R., 555
Murthy, L. V. R.
—; Banerjee, S.; Singh, B.; Chauhan, R. S.: Studies on Sorption Behavior of Sulfur Mustard and Oxygen Analog of Sulfur Mustard in Nitrile and Natural Rubber Blends, 731
Murugavel, S. C.
—; Kaliyappan, T.; Swaminathan, C. S.; Kannan, P.: Synthesis and Spectral, Thermal, and Photocrosslinking Studies of Poly(benzylidene phosphoramide ester)s, 2151
Mustafaev, M. I. See Dinçer, B., 37
Musto, P. See Abbate, M., 979

Nagai, M. See Omi, S., 2655
Nagendrappa, G. See Ahmed, N., 1121; Padma, A., 1751
Nah, C. See Kaang, S., 917
Nakagawa, M. See Seita, Y., 1703
Nakagawa, T. See Hoshi, M., 469
Nakajima, K. See Lee, J.-C., 409
Nakajima, N.
—; Yamaguchi, Y.: Mill Processability of *cis*-1,4-Polybutadienes and Deformational Characteristics, 1995
Nakamura, H.
—; Tachi, K.: Effects of Hydrophobic Interactions on Swelling of Carboxylated Core–Shell Structured Latex Particles, 1933
Nakayama, A. See Omi, S., 2655
Nakazaki, T. See Mochizuki, A., 1723
Narisawa, M.
—; Oda, S.; Kitano, S.; Okamura, K.: Dissolution of Oxidation-Cured Poly(carbosilane) Fiber into Polar Organic Solvents, 261
Nasr, M. F. See Bendak, A., 2773
Nauta, W. J. See Bouma, R. H. B., 2679
Nazabal, J. See Arzak, A., 1503
Neilen, M. See Loontjens, T., 1813
Nele, M.
—; Pinto, J. C.: Dynamic Behavior of a Continuous Autothermal Isobutylene Polymerization Reactor, 1403
Nelliappan, V.
—; El-Aasser, M. S.; Klein, A.; Daniels, E. S.; Roberts, J. E.; Pearson, R. A.: Effect of the Core/Shell Latex Particle Interphase on the Mechanical Behavior of Rubber-Toughened Poly(methyl methacrylate), 581
Neves, M. A. F. S. See Coutinho, F. M. B., 1257
Ng, C.-F. See Chan, W.-H., 1113
Nicolais, L. See Di, Y., 951
Nishi, T. See Lee, J.-C., 409; Mochizuki, A., 1713
Nitschke, M.
—; Meichsner, J.: Low-Pressure Plasma Polymer Modification from the FTIR Point of View, 381
Nobile, R. See Di, Y., 951
Nohr, R. S. See Caldas, V., 1759
Novakov, K. See Miloshev, S., 91
Novakov, P. See Miloshev, S., 91

O'Byrne, K. See Buggy, M., 2025
Occelli, M. L. See Gould, S. A. C., 1237
Oda, S. See Narisawa, M., 261
O'Donnell, J. H. See Bremner, T., 939
Ohnishi, K. See Iijima, T., 1451
Okabe, M. See Tazaki, M., 1517
Okamura, K. See Iwata, T., 1511
Okamura, K. See Narisawa, M., 261
Okui, N. See Miyata, K., 1415
Olayo, R. See Manzur, A., 677
Olkhov, Y.
—; Jurkowski, B.: Thermomechanical Study of Molecular and Topological Structure of Different Kinds of Sulfur, 499
Olkhov, Y. A. See Jurkowski, B., 1807
Omi, S.
—; Kaneko, K.; Nakayama, A.; Katami, K.; Taguchi, T.; Iso, M.; Nagai, M.; Ma, G.-H.: Application of Porous Microspheres Prepared by SPG (Shirasu Porous Glass) Emulsification as Immobilizing Carriers of Glucoamylase (GluA), 2655
Ong, C. H.
—; Goh, S. H.; Chan, H. S. O.: Miscibility of Conductive Blends of Poly(*o*-anisidine) with Poly(2-alkyl-2-oxazoline)s, 391
Oommen, Z.
—; Thomas, S.: Mechanical Properties and Failure Mode of Thermoplastic Elastomers from Natural Rubber/Poly(methyl methacrylate)/Natural Rubber-*g*-Poly(methyl methacrylate) Blends, 1245
Overturf, G. E., III See Lambert, S. M., 2111
Ozark, R. See Künzler, J., 1081

Packham, D. E. See Cook, J. W., 1379
Padma, A.
—; Rao, R. M. V. G. K.; Nagendrappa, G.: Effect of Prereaction on Curing of Elastomer-Modified Epoxy Resins, 1751
Pak, S. H.
—; Caze, C.: Acid–Base Interactions on Interfacial Adhesion and Mechanical

Responses for Glass-Fiber-Reinforced Low-Density Polyethylene, 143
Palma, G. See Bertolin, M., 2201
Pan, Y.
—; Huang, Y.; Liao, B.; Chen, M.; Cong, G.; Leung, L. M.: Studies on Miscibility of Poly(phenylene oxide)-Based Ionomer/Polystyrene-Based Ionomer Blends, 341
—; Ruan, J.; Zhou, D.: Solid-Phase Grafting of Glycidyl Methacrylate onto Polypropylene, 1905
Panayiotou, C. See Thiebaud, S., 705
Pandey, S. S.
—; Ram, M. K.; Srivastava, V. K.; Malhotra, B. D.: Electrical Properties of Metal(indium)/Polyaniline Schottky Devices, 2745
Pandya, M. V. See Thorat, H. B., 2715
Papirer, E. See Wloczysiak, P., 1595, 1609
Park, Y. H. See Aly, A. S., 1939
Pascault, J. P. See Cuney, S., 2373; Damian, C., 2579; Girard–Reydet, E., 2433; Samson, N., 2265; Taha, M., 2447
Patri, M.
—; Samui, A. B.; Chakraborty, B. C.; Deb, P. C.: Studies on IPNs Based on Nitrile Rubber and Polyalkyl Methacrylates, 549
—; See Ratna, D., 901
Pauwels, K. See Loontjens, T., 1813
Pavlinec, J.
—; Moszner, N.: Photocured Polymer Networks Based on Multifunctional β-Ketoesters and Acrylates, 165
Pearson, R. A. See Nelliappan, V., 581
Pei, F.-K. See Luo, S.-G., 1217
Peng, Y. X.
—; Dai, H. S.; Cun, L. F.; Liu, J. L.: Cationic Copolymerization of 1,3-Pentadiene with 1,3-Cyclopentadiene, 1883
Perez, J. See Gauthier, C., 2517
Perrut, V. See Taha, M., 2447
Pesetskii, S. S.
—; Jurkowski, B.; Krivoguz, Y. M.; Urbanowicz, R.: Itaconic Acid Grafting on LDPE Blended in Molten State, 1493
Pesneau, I.
—; Llauro, M. F.; Grégoire, M.; Michel A.: Morphology Control of Polyester–Polyolefin Blends by Transesterification during Processing Operations in the Presence of Dibutyltin Oxide, 2457
Petermann, J. See Cai, Y., 67
Petrillo, E. See Capodanno, V., 2635
Petropoulos, J. H. See Stamatialis, D. F., 317
Pfromm, P. H. See Rezac, M. E., 1983
Phadke, V. K. See Gupta, D. C., 355
Phinney, C. S. See Farahani, M., 561
Pichot, C. See Ganachaud, F., 2315; Ladavière, C., 2567; Sauzedde, F., 2331
Pinto, J. C. See Cavalcanti, M. J. R., 1683; Nele, M., 1403
Pişkin, E. See Denizli, A., 2085
Pizzi, A.
On the Correlation of Some Theoretical and Experimental Parameters in Polycondensation Crosslinked Networks. II. Interfacial Energy and Adhesion on Cellulose Substrates (Note), 1843
—; See Garcia, R., 2623
Policroniades, R. See Rodríguez, A. S., 187
Pomery, P. J. See Bremner, T., 939
Pötschke, P. See Wallheinke, K., 2217
Prabhu, C. S. See Thorat, H. B., 2715
Prinos, J. See Thiebaud, S., 705
Priola, A. See Malucelli, G., 491
Puig, C. C. See Hill, M. J., 1921

Qi, M.
—; Shaw, M. T.: Sedimentation-Resistant Electrorheological Fluids Based on PVAL-Coated Microballoons, 539
Qiu, J. See Yu, S.-Y., 481
Qiu, S.-C. See Cui, M.-H., 1739
Quinson, R. See Gauthier, C., 2517

Raboin, L. E. See Caldas, V., 1759
Radhakrishnan, G. See Mahesh, G. N., 2105
Radhakrishnan, S. See Saujanya, C., 1127
Ragosta, G. See Abbate, M., 979
Rajan, P. K. See Abraham, S., 1169
Ramaraj, R. See John, S. A., 777
Ram, M. K. See Pandey, S. S., 2745
Ramos, E. See Manzur, A., 677
Rao, R. M. V. G. K. See Padma, A., 1751
Ratna, D.
—; Patri, M.; Chakraborty, B. C.; Deb, P. C.: Amine-Terminated Polysulfone as Modifier for Epoxy Resin, 901
Rawat, B. R. See Chauhan, G. S., 191
Ray, W. H. See Han-Adebekun, G. C., 1037; Shaffer, W. K. A., 1053
Reddy, B. S. R. See Thamizharasi, S., 1285
Reddy, V. N. See Sava, I., 1533
Rempel, G. L. See Guo, X.-Y., 667
Revillon, A.
—; Leroux, D.: Acidic Properties of Functionalized Silica-Supported Polymers: Relation Between Reactivity and Morphology, 2557
Revol, J.-F. See Li, J., 373
Rezac, M. E.
—; John, T.; Pfromm, P. H.: Effect of Copolymer Composition on the Solubility and Diffusivity of Water and Methanol in a Series of Polyether Amides, 1983
Rezai, E.
—; Warner, R. R.: Polymer-Grafted Cellulose Fibers: I. Enhanced Water Absorbency and Tensile Strength, 1463
—; See Warner, R. R., 1487
Rich, D. C.
—; Sichel, E.; Cebe, P.: Alignment of Nematic Liquid Crystals on Photo-Irradiated

Polyamide–Imide Surfaces, 1151
Riedl, B. See Garro–Galvez, J. M., 399
Risbud, S. H. See Erismann, F., 2727
Roberts, J. E. See Nelliappan, V., 581
Roche, A. A. See Taha, M., 2447
Rodríguez, A. S.
—; Policroniades, R.; Martinez-Quiroz, E.: Polyacrylonitrile Determination in Acrylonitrile–Butadiene Rubber, 187
Rolla, P. A. See Casalini, R., 17
Romano, G. See Capodanno, V., 2635
Ronda, J. C. See Giménez, V., 1643
Root, A. See Hietalahti, K., 77
Rose, C. See Babu, P. R., 555
Royappa, A. T.
On the Copolymerization of Epichlorohydrin and Glycidol, 1897
Roy, C. See Chabot, S., 1263
Ruan, J. See Pan, Y., 1905
Ruiz, M. A. See Vera, P., 2721
Russo, R. See Capodanno, V., 2635
Ryu, J. H. See Kim, W. G., 1975

Saad, A. L. G.
—; Hassan, A. M.; Youssif, M. A.; Ahmed, M. G. M.: Studies of Electrical Properties of Some Fire-Retarding Poly(vinyl chloride) Compositions, 27
Sabadini, E.
—; Assano, E. M.; Atvars, T. D. Z.: Molecular Weight of Polyethylene Glycols by Vapor Pressure Osmometry: An Alternative Data Treatment, 595
Saçak, M.
—; Karakişla, M.; Akbulut, U.: A 316 Steel Electrode Coated with Polycarbonate for Electropolymerization of Aniline, 1103
Saiga, N. See Mochizuki, A., 1713, 1731
Sailaja, R. R. N.
—; Kumar, A.: Evaluation of Rate Constants from Experimental Batch Reactor Data for Anionic Polymerization of Poly(methyl methacrylate) at High Temperatures, 845
Saitoh, T. See Hoshi, M., 469
Salcedo, J. See Vera, P., 2721
Salih, B. See Denizli, A., 2085
Salmon, E.
—; Guinot, S.; Godet, M.; Fauvarque, J. F.: Structural Characterization of New Poly(ethylene oxide)-Based Alkaline Solid Polymer Electrolytes, 601
Sambasivam, M.
—; Klein, A.; Sperling, L. H.: The Molecular Basis of Fracture in Crosslinked Glassy Polymers, 1001
Samson, N.
—; Mechin, F.; Pascault J.-P.: Relationships Between Synthesis and Mechanical Properties of New Polyurea Materials, 2265
Samui, A. B. See Patri, M., 549
Sankarapapavinasam, S. See Ahmed, N., 1121
Sanopoulou, M. See Stamatialis, D. F., 317
Saroop, M.
—; Mathur, G. N.: Studies on the Dynamically Vulcanized Polypropylene (PP)/Butadiene Styrene Block Copolymer (SBS) Blends—Mechanical Properties, 2691
—; Mathur, G. N.: Studies on the Dynamically Vulcanized Polypropylene (pp)/Butadiene Styrene Block Copolymer (SBS) Blends—Melt Rheological Properties, 2703
Sastry, T. P. See Babu, P. R., 555
Satoh, M. See Tsubokawa, N., 2165
Saujanya, C.
—; Radhakrishnan, S.: Crystallization Behavior of Polyethylene Oxide/*Para*-Nitroaniline Microdispersed Composites, 1127
Sautereau, H. See Becu, L., 2419; Girard–Reydet, E., 2433
Sauzedde, F.
—; Ganachaud, F.; diElaïssari, ee A.; Pichot, C.: Emulsifier-Free Emulsion Copolymerization of Styrene with Two Different Amino-Containing Monomers: 2. Surface and Colloidal Characterization, 2331
—; See Ganachaud, F., 2315
Sava, I.
—; Bruma, M.; Schulz, B.; Mercer, F.; Reddy, V. N.; Belomoina, N.: Synthesis and Properties of Silicon-containing Polyamides, 1533
Saxena, C. See Banerjee, S., 1789
Scanlon, L. G. See Munichandraiah, N., 2191
Schiraldi, D. A. See Gould, S. A. C., 1237
Schroen-Carey, D. See Lambert, S. M., 2111
Schultz, J. See Bistac, S., 347
Schulz, B. See Sava, I., 1533
Seferis, J. C. See Shim, S.-B., 5
Sehanobish, K. See Wu, S., 2209
Seisa, E. A. See Hamza, A. A., 2031
Seita, Y.
—; Mochizuki, A.; Nakagawa, M.; Takanashi, K.; Yamashita, S.: Polyether-Segmented Nylon Hemodialysis Membranes. I. Preparation and Permeability Characteristics of Polyether-Segmented Nylon 610 Hemodialysis Membrane, 1703
—; See Mochizuki, A., 1713, 1723, 1731
Seppälä, J. See Heino, M., 241
Serné, M. See Loontjens, T., 1813
Sernetz, F. G. See Lobbrecht, A., 209
Seves, A. See Beltrame, P. L., 1659
Seytre, G. See Friedrich, K., 2529; Ulański, J., 1143
Shaffer, W. K. A.
—; Ray, W. H.: Polymerization of Olefins through Heterogeneous Catalysis. XVIII. A Kinetic Explanation for Unusual Effects, 1053
Shahada, L.
—; Kassem, M. E.; Abdelkader, H. I.; Hassan, H. M.: Optical

and Electrical Properties of a New Polymer, 1653
Sham, C. K. See Loontjens, T., 1813
Shanahan, M. E. R. See Xiao, G. Z., 449
Shao, Z. See Sun, Y., 959
Sharma, V.
—; Desai, P.; Abhiraman, A. S.: Crystallinity Vis-à-Vis Two-Phase Models of Oriented Polymers: Inferences from an Experimental Study of Poly(ethylene terephthalate), 2603
Shaw, M. T. See Qi, M., 539
Shearer, O.
—; Tzoganakis, C.: Free Radical Hydrosilylation of Polypropylene, 439
Shilton, S. J.
Flow Profile Induced in Spinneret During Hollow Fiber Membrane Spinning, 1359
Shim, S.-B.
—; Seferis, J. C.: Thermal and Air Permeation Properties of a Carbon Fiber/Toughened Epoxy Based Prepreg System, 5
Shimizu, T.
—; Koshiro, S.; Yamada, Y.; Tada, K.: Effect of Cell Structure on Oil Absorption of Highly Oil Absorptive Polyurethane Foam for On-Site Use, 179
Shin, H. S.
—; Kim, S. Y.; Lee, Y. M.: Indomethacin Release Behaviors from pH and Thermoresponsive Poly(vinyl alcohol) and Poly(acrylic acid) IPN Hydrogels for Site-Specific Drug Delivery, 685
Shin, S.
—; Jang, J.: Toughness Improvement of High-Performance Epoxy Resin Using Aminated Polyetherimide, 2237
Shindo, T.
—; Maeda, H.; Ando, M.: Preparation and Electrooptical Properties of Liquid Crystal Dispersed Film by Electron-Beam Irradiation, 1675
Shiono, H. See Iijima, T., 1349
Shioya, M. See Kawahara, Y., 2051
Shogren, R. L. See Fanta, G. F., 1021
Shucai, L. See Järvelä, P. A., 2003
Sichel, E. See Rich, D. C., 1151
Singh, B. See Murthy, L. V. R., 731
Sirisinha, C. See Freakley, P. K., 305
Sivasankar, G. See Munichandraiah, N., 2191
Skrifvars, M. See Hietalahti, K., 77
Soares, B. G.
—; Barbosa, R. V.; Covas, J. C.: Polystyrene/EVA Melt Blends Compatibilized with EVA-*graft*-Polystyrene, 2141
Sohn, B. H.
—; Cohen, R. E.: Electrical Properties of Block Copolymers Containing Silver Nanoclusters Within Oriented Lamellar Microdomains, 723
Sperling, L. H. See Sambasivam, M., 1001
Spitz, R. See Duchet, J., 2481; Dupuy, J., 2281
Sreekumar, K. See Abraham, S., 1169
Sreenivasan, K.
On the Restriction of the Release of Water-Soluble Component from Polyvinyl Alcohol Film by Blending β-Cyclodextrin, 1829
Effect of Added Silver Ions on Physiochemical Properties of Polyurethane, 2081
Srivastava, V. K. See Pandey, S. S., 2745
St. John. D. See Bremner, T., 939
Stamatialis, D. F.
—; Sanopoulou, M.; Petropoulos, J. H.: Phenomena Affecting the Interferometric Determination of Concentration Profiles of Micromolecules Diffusing Along a Stiff-Chain Polymer Film, 317
Steuten, J. M. See Bouma, R. H. B., 2679
Strathmann, H. See Bouma, R. H. B., 2679; Kemperman, A. J. B., 1205
Stutz, H. See Wallheinke, K., 2217
Su, J.
—; Zhang, Q. M.; Kim, C. H.; Ting, R. Y.; Capps, R.: Effects of Transitional Phenomena on the Electric Field Induced Strain–Electrostrictive Response of a Segmented Polyurethane Elastomer, 1363
Su, W.
—; Iroh, J. O.: Formation of Polypyrrole Coatings onto Low Carbon Steel by Electrochemical Process, 417
—; Iroh, J. O.: Kinetics and Efficiency of Aqueous Electropolymerization of Pyrrole onto Low-Carbon Steel, 617
Suh, K. D.
—; Kim, J. Y.; Kim, J. L.: Novel Amphiphilic Polyurethane Networks: Gelation Mechanism and Swelling Behaviors, 821
Sun, Y.
—; Shao, Z.; Ma, M.; Hu, P.; Liu, Y.; Yu, T.: Acrylic Polymer–Silk Fibroin Blend Fibers, 959
Sun, Y.-J.
—; Baker, W. E.: Polyolefin/Polystyrene *In Situ* Compatibilization Using Friedel-Crafts Alkylation, 1385
Sundholm, F. See Hietalahti, K., 77
Swaminathan, C. S. See Murugavel, S. C., 2151
Szosland, I. See Urbanczyk, G., 807
Sztajnert, E. See Urbanczyk, G., 807
Sztajnowski, S. See Urbanczyk, G., 807

Tachi, K. See Nakamura, H., 1933
Tada, K. See Shimizu, T., 179
Taguchi, T. See Omi, S., 2655
Taha, M.
—; Perrut, V.; Roche, A. A.; Pascault, J. P.: Synthesis, by Reactive Extrusion, of High

Molar Mass Epoxy Prepolymers Containing Rubber Preformed Particles, 2447
Takagishi, T. See Mori, R., 155
Takahashi, H. See Kojima, Y., 2781
Takanashi, K. See Seita, Y., 1703
Takaya, T. See Matsuda, T., 2247
Tan, H.-M. See Luo, S.-G., 1217
Tan, T. T. M.
Cardanol–Glycols and Cardanol–Glycol-Based Polyurethane Films, 507
Tanaka, H. See Wu, Z.-H., 2159
Tanaka, Y. See Kuroki, T., 1031
Tarantili, P. A.
—; Andreopoulos, A. G.: Mechanical Properties of Epoxies Reinforced with Chloride-Treated Aramid Fibers, 267
Tatar, L. See Kaptan, H. Y., 1161
Tatibouet, J. See Cuillery, P., 2493
Tazaki, M.
—; Wada, R.; Okabe, M.; Homma, T.: Crystallization and Gelation of Poly(vinylidene fluoride) in Organic Solvents, 1517
Thadani, S.
—; Beckham, H. W.; Desai, P.; Abhiraman, A. S.: Thermorheological Consequences of Crystalline-Phase Crosslinking in Polyamide Fibers, 2613
Thamizharasi, S.
—; Gnanasundaram, P.; Reddy, B. S. R.: Copolymerization of 4-Nitrophenyl Acrylate with Glycidyl Methacrylate: Synthesis, Characterization, and Reactivity Ratios, 1285
Thiebaud, S.
—; Aburto, J.; Alric, I.; Borredon, E.; Bikiaris, D.; Prinos, J.; Panayiotou, C.: Properties of Fatty-Acid Esters of Starch and Their Blends with LDPE, 705
Thomas, S. See Oommen, Z., 1245
Thompson, A. S. See Cook, J. W., 1379
Thorat, H. B.
—; Prabhu, C. S.; Kumar K., S.; Pandya, M. V.: γ-Ray-Induced Degradation—A Comparative Study for Homo- and Copolymer of Polypropylene, 2715
Ting, C.-Y. See Yang, C.-P., 233
Ting, R. Y. See Su, J., 1363
Tomoi, M. See Iijima, T., 1349, 1451
Tortosa, K.
—; Miola, C.; Hamaide, T.: Synthesis of Low Molecular Weight-Hydroxy Polycaprolactone Macromonomers by Coordinated Anionic Polymerization in Protic Conditions, 2357
Tripathy, D. K. See Mallick, A., 135
Tsai, H.-B. See Lee, D.-K., 893
Tshabalala, M. A.
Determination of the Acid-Base Characteristics of Lignocellulosic Surfaces by Inverse Gas Chromatography, 1013
Tsubokawa, N.
—; Satoh, M.: Surface Grafting of Polymers onto Glass Plate: Polymerization of Vinyl Monomers Initiated by Initiating Groups Introduced onto the Surface, 2165
Tzeng, G.-L. See Chiang, W.-Y., 795
Tzoganakis, C. See Shearer, O., 439

Ugbolue, S. C. O. See Uzomah, T. C., 625
Ulański, J.
—; Friedrich, K.; Boiteux, G.; Seytre, G.: Evolution of Ion Mobility in Cured Epoxy-Amine System as Determined by Time-of-Flight Method, 1143
Ulañski, J. See Friedrich, K., 2529
Urbanczyk, G.
—; Lipp-Symonowicz, B.; Szosland, I.; Jeziorny, A.; Urbaniak-Domagala, W.; Dorau, K.; Wrzosek, H.; Sztajnowski, S.; Kowalska, S.; Sztajnert, E.: Chitin Filaments from Dibutyrylchitin Precursor: Fine Structure and Physical and Physicochemical Properties, 807
Urbaniak-Domagala, W. See Urbanczyk, G., 807
Urbanowicz, R. See Pesetskii, S. S., 1493
Uyanik, N. See Cvetkovska, M., 2173
Uzomah, T. C.
—; Ugbolue, S. C. O.: Time and Temperature Effects on the Tensile Yield Properties of Polypropylene, 625

Vaillant, D.
—; Lacoste, J.; Lemaire, J.: Stabilization of Isotactic Polypropylene. Problems Bound to the Interactions of Stabilizers with Pigments ANF Fillers, 609
Vallat, M. F. See Bistac, S., 347
Van Den Boomgaard, TH. See Bouma, R. H. B., 2679; Kemperman, A. J. B., 1205
Varma, I. K. See Alam, S., 861
Vassoille, R. See Ershad-Langroudi, A., 2387
Vera, P.
—; Gallardo, V.; Salcedo, J.; Ruiz, M. A.; Delgado, A. V.: Electrokinetics and Stability of a Cellulose Acetate Phthalate Latex, 2721
Veron, L. See Ladavière, C., 2567
Vicard, V. See Girard–Reydet, E., 2433
Vidal, A. See Wloczysiak, P., 1595, 1609
Vigier, G. See Cuney, S., 2373; Ershad-Langroudi, A., 2387
Vinh-Tung, C. See Friedrich, K., 2529
Visser, S. A.
—; Hewitt, C. E.; Fitzgerald, J. J.; Ferrar, W. T.; Binga, T. D.: Erratum to "Effect of Filler Type on the Response of Polysiloxane Elastomers to Cyclic Stress at Elevated Temperature", 1441
—; Hewitt, C. E.; Fitzgerald, J. J.; Ferrar, W. T.; Binga, T. D.:

Erratum to "Stabilization of Filled Polysiloxane Elastomers to Cyclic Stress at Elevated Temperature Through Use of Sinc Oxide Fillers", 1443
Vittoria, V. See Capodanno, V., 2635
Vyas, K. See Banerjee, S., 1789

Wada, R. See Tazaki, M., 1517
Wallheinke, K.
—; Pötschke, P.; Stutz, H.: Influence of Compatibilizer Addition on Particle Size and Coalescence in TPU/PP Blends, 2217
Wang, G.
—; Li, M.; Chen, X.: Inverse Suspension Polymerization of Sodium Acrylate, 789
Wang, H.
—; Li, W.; Lu, Y.; Wang, Z.: Studies on Chitosan and Poly(acrylic acid) Interpolymer Complex. I. Preparation, Structure, pH-sensitivity, and Salt Sensitivity of Complex-Forming Poly(acrylic acid): Chitosan Semi-Interpenetrating Polymer Network, 1445
Wang, H.-H.
—; Lin, W.-P.: Synthesis and Properties of Thermostable Naphthalate-Containing Copoly(amide–imide)s, 1581
Wang, M. C. See Yang, J. M., 109
Wang, W. See Yang, J.-M., 365
Wang, Z. See Wang, H., 1445
Ward, I. M. See Ladizesky, N. H., 1865
Warner, R. R.
—; Rezai, E.: Polymer-Grafted Cellulose Fibers. III. Interactions of Grafted and Ungrafted Fibers in Handsheets, 1487
—; See Rezai, E., 1463
Weber, M. See Mäder, D., 567
Whittaker, A. K. See Bremner, T., 939
Wilemski, G. See Lambert, S. M., 2111
Wilkes, G. L. See Dounis, D. V., 525
Williams, R. J. J. See Eisenberg, P., 755
Wittich, H. See Cai, Y., 67
Wloczysiak, P.
—; Vidal, A.; Papirer, E.: Relationships between Rheological Properties, Morphological Characteristics, and Composition of Bitumen–Styrene Butadiene Styrene Copolymers Mixes. II. A Thermodynamical Interpretation, 1609
—; Vidal, A.; Papirer, E.; Gauvin, P.: Relationships between Rheological Properties, Morphological Characteristics, and Composition of Bitumen–Styrene Butadiene Styrene Copolymers Mixes. I. A Three-Phase System, 1595
Wrzosek, H. See Urbanczyk, G., 807
Wu, S.
—; Bosnyak, C. P.; Sehanobish, K.: Design of Impact Modifiers for Thermoplastic Polymers Based on Micromechanics, 2209
Wu, Y.-J. See Luo, S.-G., 1217
Wu, Z.-H.
—; Tanaka, H.: Effects of Polyamine Structure on Rosin Sizing Under Neutral Papermaking Conditions, 2159
Wu, Z.-H. See Cui, M.-H., 1739

Xiao, G. Z.
—; Delamar, M.; Shanahan, M. E. R.: Irreversible Interactions Between Water and DGEBA/DDA Epoxy Resin During Hygrothermal Aging, 449
Xiao, S.
—; Moresoli, C.; Bovenkamp, J.; De Kee, D.: Sorption and Permeation of Organic Contaminants through High-density Polyethylene Geomembranes (Note), 1833
Xie, H.-Q. See Cui, M.-H., 1739
Xie, T. See Xu, J., 925
Xingxiang, Z. See Ling, H., 1837
Xuecheng, W. See Ling, H., 1837
Xu, G. See Lu, X., 2733
Xu, J.
—; Feng, L.; Xie, T.; Yang, S.: The Roles of Grignard Reagent in the Ziegler–Natta Catalyst for Propylene Polymerization, 925
Xu, Y. See Gao, F., 931

Yabuki, K. See Kuroki, T., 1031
Yamada, Y. See Shimizu, T., 179
Yamaguchi, Y. See Nakajima, N., 1995
Yamamoto, T. See Matsuda, T., 2247
Yamashita, S. See Seita, Y., 1703, 1713, 1723, 1731
Yang, C.-P.
—; Ting, C.-Y.: The Study of Twice Electrodeposition Coating (I) Topcoat Acrylic Resin–Primer: Epoxy Resin with Anticorrosion and Weather Resistance Performances, 233
Yang, G.-X. See Yu, S.-Y., 481
Yang, J. See Li, Y., 2739
Yang, J.-M.
—; Wang, M. C.; Hsu, Y. G.; Chang, C. H.: Preparation of SBS-*g*-VP Copolymer Membrane by UV Radiation Without Degassing, 109
—; Huang, P.-Y.; Yang, M.-C.; Wang, W.: The Grafting of Methyl Methacrylate onto Ultrahigh Molecular Weight Polyethylene Fiber by Plasma and UV Treatment, 365
Yang, M.-C.
—; Chen, W.-C.: Viscous Behavior of Ultrahigh Molecular Weight Polyethylene Solution, 289
—; See Yang, J.-M., 365
Yang, S. See Xu, J., 925
Yang, Y. See Zhuang, G., 649
Yao, G.-Q. See Yu, S.-Y., 481
Yaseen, M. See Gupta, K., 2749
Yeh, P.-L. See Lee, W.-F., 909
Yen, M.-S.
—; Kuo, S.-C.: PCL–PEG–PCL Triblock Copolydiol-Based Waterborne Polyurethane. I. Effects of the Soft-Segment Composition on the Structure and Physical Properties, 883
Yen, M. S. See Huang, K. S., 1139

Yin, W.
—; Liu, C.; Li, J.; Liu, H.; Gu, T.: High-Quality Conductive Polypyrrole Within a Secondary Crosslinked Interpenetrating Polymer Network, 1
Yoshida, M. See Matsuda, T., 2247
Youssif, M. A. See Saad, A. L. G., 27
Yu, S.-Y.
—; Qiu, J.; Li, Z.-C.; Yao, G.-Q.; Gao, Q.-Y.; Yang, G.-X.; Zhang, J.-X.; Li, F.-M.: Vinyl Monomers Bearing Chromophore Moieties and Their Polymers. VI. Synthesis and Photochemical Behavior of Acrylic Monomer Bearing Phenoxazine Moiety and Its Polymer, 481
Yu, T. See Chen, X., 2257; Sun, Y., 959

Zecca, M. See Bertolin, M., 2201
Zerfa, M.
—; Brooks, B. W.: Experimental Investigation of Vinyl Chloride Drop Behavior During Suspension Polymerization, 127
Zhang, G. See Lang, M., 1667
Zhang, J.-G. See Luo, S.-G., 1217
Zhang, J.-X. See Yu, S.-Y., 481
Zhang, L.
—; Deng, X.; Zhao, S.; Huang, Z.: Biodegradable Polymer Blends of Poly(3-hydroxybutyrate) and Poly(D,L-lactide)-*co*-Poly(ethylene glycol), 1849
Zhang, Q. M. See Su, J., 1363
Zhao, S. See Zhang, L., 1849
Zhong, W. See Chen, X., 2257
Zhou, D. See Pan, Y., 1905
Zhou, J.
—; Li, G.; Li, B.; He, T.: Flexural Fatigue Behavior of Injection-Molded Composites Based on Poly(phenylene ether ketone), 1857
Zhuang, G.
—; Yang, Y.; Li, B.: Reinforced Effect of Wollastonite on Phenolphthalein Poly(ether ketone), 649

Journal of Applied Polymer Science

Subject Index to Volume 65

AB block copolymers, 2173
Absolute viscosity, 2749
Absorbency, 1463
2-acetoacetoxyethyl methacrylate copper (II), 2201
Accelerated thermal aging, 1631
Accelerators, 1525
Acidic polymer catalysts reactivity, selectivity, and morphology, 2557
Acid–base interaction, 143
Acid–base sensor, 777
Acrylate, 165, 833
Acrylates, 191
Acrylic acid, 967
Acrylic and methacrylic acids, 2343
Acrylic fibers, 2131
Acrylonitrile, 1463
Acrylonitrile–butadiene copolymer, 187
Acryloyloxyamylose, 2123
Activation energy, 135, 2507
Additive, 761
Additives, 1759
Adhesion, 197, 1379
Adsorption, 41, 931
AEM, 1487
Aging, 2507
Air flow, 179
Air permeation, 5
Air separation, 1555
Alcohol dehydration acid catalysis, 2557
Alkanediamine, 1889
All-solid-state, 1739
Alternating ethylene–tetrafluoroethylene copolymer (ETFE), 295
Alternative and direct current measurements, 2529
Aluminium alkoxides, 2357
Aluminum stearate, 289
Amination, 2237
Amino surface charges, 2331
Amino-containing monomers, 2315
Amorphous polymers, 2517
Amorphous regions, 1237
Amphiphilic polyurethane gels, 821
Anionic polymerization, 845
Anionic ring-opening polymerization, 2357
Anionomers, 2105
Anisotropy, 329
Annealing, 1293
Anticorrosion, 233
Antidegradants, 117
Antioxidant, 761
Aqueous electropolymerization, 617
Aqueous medium, 2075
Aqueous solutions, 1307
Aqueous suspensions, 2545
Aramid, 1031
Aramid fibers, 267
Aromatic polyamides, 1533
Aromatic polyimide, 1581
Artificial bone, 1865
Artificial muscle, 2257
Atactic polypropylene, 1333
Atomic force microscope, 1237
Atomic force microscopy, 2481
ATR–FTIR, 1967
Attenuated total reflection, 381
Attrition, 539
Autothermal reactor, 1403
Azacrown ether, 931
Azathiacrown ether, 931
Azo group, 2165

Benzohydroxamato-ethylenediamine-titanium complex, 1571
Benzophenone, 2095
Bifurcation, 1403
Binary initiation system, 2095
Biocide polyacrylonitrile fibers, 1955
Biocide poly(ethylene terephtalate) fibers, 967
Biodegradation, 705
Biomaterial, 109
Biomedical polyurethanes, 1193
Biopolymers, 1795
Bismaleimide resin, 1349, 1451
Bitumen, 1595
Bitumen–SBS mixes, 1609
Blend, 1849
Blend compatibilization, 2141
Blend fibers, 959
Blend morphology, 2457
Blends, 241, 295, 391, 409, 705, 731, 739, 795, 939, 979, 1245, 1379, 1493, 1503, 1539, 1659, 1745, 2059, 2075, 2665
Block copolymers, 723
Branched polymer, 2165
Butadiene styrene block copolymer, 2691, 2703
Butyl acrylate, 555

C_{60}, 481, 2781
Calcium-based fillers, 2761
Capillary flow, 951
Carbon black, 409
Carboxyl group, 1933
Carboxyl groups, 2343
Carboxylic acid anhydride, 1643
Carboxylic acid groups, 1643
Cardanol–glycols (CGs), 507
Catalyst, 2281
Catalytic mechanism, 1217
Cationic, 1403, 1897
Cationic monomers, 2331
Cationic polymerization, 1883
Cell, 1395
Cell number, 1395
Cell structure, 179
Cellulase, 155
Cellulose acetate phthalate latex, 2721
Cellulose acetate transport of liquid penetrants in films of, 317
Cellulose triesters, 1511
Ceramic precursor polymer, 261
CG-based polyurethane (CGPU) films, 507
Chain extenders, 1813
Char yield, 2075
Characterization, 2123
Charge reversal, 2721
Charge transfer complex, 481
Charge-transfer polymerization, 2095
Chelating resin, 931
Chelation, 2085
Chemical interaction, 135
Chemisorption, 1333
Chemorheology, 135
Chitin, 807, 1939

Chitin crystallites, 373
Chitosan, 1445
Chitosan/silk fibroin semi-IPN, 2257
Chlorinated rubber, 1379
Cholesteric phase, 373
Circular dichroism, 251
cis-1,4-polybutadiene, 1995
Cloudpoint curve correlation, 2131
Coagulants, 1947
Coatings, 417
Cole-Cole method, 1653
Comblike polymers, 2407
Compatibility, 761
Compatibilization, 241
Compatibilizer addition, 2217
Compatibilizers, 795
Compatibilizing agent, 2665
Complex, 2257
Compliant, 1947
Composite, 143, 649
Composite-modified double-base (CMDB) propellants, 355
Composites, 267, 1127, 1227, 1371, 1857
Compound film, 1675
Compounds, 1813
Concentration, 289
Concentration profiles, 317
Conducting polymers, 391
Conducting poly-silylphenols, 1121
Conductive polyaniline/polycarbonate films, 1103
Conductivity, 2739
Contact angle, 2165
Contact lens, 1081
Contaminants, 1833
Coolant aging, 1631
Copolymer, 2457
Copolymeric gels, 909
Copolymerization, 1285, 1883, 1897, 2201, 2297
Copolymers, 209
Core/shell latex particle interphase, 581
Core-shell particles, 2419
Core–shell particle, 1933
Cornstarch, 695
Cotton, 1139
Cotton fiber, 155
Cotton yarns, 1571
Coupling agent, 739
Creep, 2507
Creep and recovery, 917
Critical dissolution time, 2773
Crosslink density, 2471
Crosslinked copolymers, 2201
Crosslinked glassy polymers, 1001
Crosslinking, 5, 425, 507, 511, 1643, 1843, 2123
Crystalline complex, 601
Crystalline morphology, 2665
Crystalline regions, 1237
Crystalline-phase crosslinking, 2613
Crystallinity, 893
Crystallizable oriented polymers, 2603
Crystallization, 883, 1127, 1517, 2603, 2665
Crystallization of thermoplastic, 2529
Cure, 85
Curing, 979, 1525
Cyanate, 2471
Cyanate ester, 85
β-cyclodextrin, 1829
1,3-cyclopentadiene, 1883

Damage, 2013
Damping, 2493
Dc-conductivity, 1653
Deacetylation, 373
Debonding, 2013
Decomposition, 861
Deformation recovery, 2471
Deformational data, 1995
Degradation, 1319
Degree of absorption, 789
Denaturing agents, 1307
Depropagation, 2297
Diacetylene, 2613
Diacid-terminated naphthalate monomers, 1581
Dialysis membrane, 1703, 1713, 1731
Diamines, 2265
Dibutyltin dilaurate, 1217
Dibutyltin oxide, 2457
Dielectric loss, 2733
Dielectric monitoring, 17
Differential scanning calorimetry, 399, 2665
Differential scanning calorimetry (DSC), 685, 795
Diffusion, 51, 635, 761, 1789
Diffusion cell, 1789
Di-phosphonate group, 2545
Direct-current measurements, 1143
Dispersion, 2545
Distannoxane, 2457
Divalent metals, 1091
Double networks, 917
Drilling apparatus, 1161
Drug delivery system, 685
DSC, 1619, 1723
Ductile–brittle transition, 655
Ductile–brittle transition temperature, 2209
Durability, 1631
Dye removal, 1939
Dyeability, 155
Dyeing, 1139
Dynamic mechanical, 901
Dynamic mechanical properties, 1609
Dynamic properties, 2003
Dynamic vulcanization, 2691
Dynamics, 1403

ϵ-caprolactam, 99
Effect on cure, 1751
Elasticity, 1821
Elastomeric disk, 1821
Electric field induced strain, 1363
Electrochemical polymerization, 417
Electrochromic window, 1739
Electrolyte concentration, 2739
Electron beam, 1675
Electron microscopy, 1487
Electron spin resonance (ESR), 2623
Electronic packaging, 2733
Electronic spectral behavior, 1307
Electrooptical property, 1675
Electrophoretic mobility, 2721
Electropolymerization, 1103, 2739
Electropolymerization of silyl-phenols, 1121
Electrorheology, 539
Electrostatic interaction, 1933
Electrostriction and transitional phenomena, 1363
Ellispometry, 2481
Emulsion copolymerization, 2343
Emulsion polymerization, 581, 2289, 2331
Encapsulation, 2111
Engineering plastics, 567
Entrance pressure drop, 951
EPA, 1487
Epichlorohydrin, 1897
Epoxidized natural rubber, 135
Epoxies, 2025
Epoxy, 85, 739, 901
Epoxy cure, 17
Epoxy matrix, 267
Epoxy molding compound, 1975
Epoxy networks, 2419
Epoxy resin, 233, 449

Epoxy toughened thermosets, 2433
Epoxy-acrylate resin, 491
Epoxy-amine system under isothermal curing, 1143
ER effectiveness number, 539
ER fluids, 539
ESR, 1161
Ethylcellulose, 1837
Ethylene oxide, 2589
Ethylene polymerization, 2281
Ethylene–propylene–diene (EPDM), 991
Ethylene–vinyl acetate copolymer, 347
Exotherm, 1897
Extrudate swell, 305, 951

Facilitated transport, 1205
Fatigue, 1857
Fatigue crack-propagation, 2419
6FDA polyimide membranes, 1555
Fiber, 2613
Fiber treatment, 197
Fibers, 267, 959, 1293, 2031
Fibrillation, 329
Fibrin, 555
Filament, 807
Filler, 2013
Filler/matrix adhesion, 2761
Fillers, 609, 1371
Fire hazard, 2075
Fire resistance, 27
Fire-retarding compositions, 27
Flame retardancy, 59
Flame-retardant PC/ABS alloys, 795
Flammability, 795
Flexibilizer, 901
Flexible polyurethane foam, 695, 1395
Flexural fatigue tests, 1857
Floculation, 2289
Flow profile, 1359
Fluorescence lifetime, 481
Fluorescence self-quencing effect, 481
Fluoro side chain siloxanes, 1081
Fluoropolymer, 635
Foam (extrusion), 2679
Foams, 525
Formaldehyde, 2111
Fourier transform infrared (FTIR) measurements, 1517
Fracture, 1001
Fracture toughness, 1349, 1451, 2419
Free radical acceptor, 135
Free radicals, 439
Free volume, 51
Free-radical grafting, 1905
Friedel-Crafts alkylation of polystyrene, 1385
FTIR, 449
FTIR spectroscopy, 1619
Functionalization, 1333
Functionalized particles, 2331

Gallic acid, 399
Gamma irradiation, 1091
Gamma rays, 37
Gas transport properties, 2579
Gel, 789
Gel time, 77
Gelatin, 555
Gelation, 821, 1205, 1517
Gels, 821
Geomembranes, 1833
Glass fiber, 143
Glass plate, 2165
Glass protection, 2387
Glass transition temperature, 755, 2517
Glass-fiber-reinforced polyamide 66, 1631
Glassy polymers, 1001, 2635
γ-globulin, 251
Glucoamylase, 2655
Glycidol, 1897
Glycidyl amine adducts, 1525
Graft copolymer, 109, 1021, 2141
Graft copolymerization, 99, 191, 459, 555, 967, 1939, 1955
Grafted fibers, 1487
Grafting, 365, 511, 1139, 1493, 1539, 1905, 2481
Grignard reagent, 925

^{1}H-NMR analysis, 1285
HAF carbon black, 135
HALS, 217
Handsheets, 1487
Hard segment domains, 525
Heat resistance in an oxidative environment, 1619
Heavy metals removal, 1939
Heterogeneous, 2281
Heterogeneous catalysis, 1037, 1053
Heterogeneous polymerization, 2357
High modulus polyethylene fibers, 1865
High molar mass epoxy prepolymers, 2447
High refractive index, 2247
High-performance liquid chromatography, 37
High-speed melt spinning, 1415
High-temperature property, 1031
Himachali wool, 191
Hindered Amine Stabilizers (HAS), 609
Hollow fiber spinning, 1359
Hollow-fiber membrane, 1263, 1555
Hormone, 251
Hybrid organic–inorganic networks, 2579
Hybrid solid polymer electrolytes, 2191
Hydraulic fluid, 2025
Hydrogel, 1313, 1889
Hydrogels, 685, 909
Hydrogenated oligo(cyclopentadiene), 1659
Hydrophobic hybrid inorganic–organic thinfilms, 2387
Hydrophobic interaction, 1933
Hydrosilylation, 439
Hydrostatic extrusion, 1865
Hydroxyapatite, 1865
Hydroxyethyl methacrylate, 555
Hygrothermal aging, 449
Hysteresis, 655, 1429

ICF, 2111
Imaging, 833
Immobilization, 2567, 2655
Impact, 2419
Impact modification, 2209
Impact resistance, 2247
Impact strength, 2691
Impregnation, 5
In situ compatibilization of polyolefin and polystyrene, 1385
In situ electric monitoring, control of cure, 2529
Indium, 2745
Industrial waste, 1333
Infrared reflection absorption spectroscopy, 381
Inhibitor, 1403
Injection molded poly(ether ether ketone)/polysulfone, 1503
Injection-molded short fiber composites, 1857
Interactions, 2395
Interface, 41, 143, 2493
Interface shear, 67
Interface temperature gradient, 67
Interfacial adhesion, 1843
Interfacial crosslinking, 1967

Interfacial fracture toughness, 567
Interfacial reactions, 567
Interfacial resistance, 2191
Interferometry, 317
Interpenetrating polymer network, 1445
Interpenetrating polymer network (IPN), 425
Interpenetrating polymer network (IPN) hydrogels, 685
Interpenetrating polymer networks (IPNs), 549
Interpolymer interaction, 391
Inverse gas chromatography, 1013
Inverse suspension polymerization, 789
Ion conductivity, 1143, 2529
Ion sensitivity, 2257
Ion-binding, 1795
Ion-exchange kinetics, 1271
Ionic carriers mobility, 1143, 2529
Ionic conductivity, 2191
Ionic coreactants, 2623
Ionic hardening mechanisms, 2623
Ionomers, 2105
Irradiation, 1193
γ-irradiation, 2715
Irreversible interactions, 449
Isotactic polypropylene, 609, 1759
Isothermal curing, 861
Isoxazolinium permanganate, 1169
Itaconic acid, 1493

Jute fiber, 459
Jute yarns, 1571

β-ketoester, 165
Ketones, 635, 1517
Kevlar-49, 99
Kinetic, 2395
Kinetics, 1139, 2095, 2297, 2343
Kinetics of diffusion, 1789

Lamellae, 67
Lamellar morphology, 723
Laminates, 329
Laser curing, 833
Latex films, 1967
Latex particles, 511, 1967
LDPE, 705, 1807
LDPE–henequen cellulose fiber composites, 197
Lens, 2247
Lewis acid catalyst, 1385
Light scattering, 2567
Light-induced-grafting, 217
Lignocellulosic surfaces, 1013
Linear low-density/low density, 1921
Lipobiphenyl side chains, 2407
Liquid crystals, 1151
Liquid crystal–polymer film, 1675
Liquid membrane stability, 1205
Liquid–liquid phase separation, 2643
LOI, 59
Low carbon steel, 417
Low-carbon steel, 617
Low-pressure plasma, 381
Low-resolution NMR, 77
Low-temperature solution polycondensation, 59

MAA/MAM, 1139
Macro-azo-initiators (MAIs), 2173
Macromonomer, 2357
Maleic anhydride, 217
Maleic anhydride copolymers, 2567
Maleic anhydride hemiester, 2289
Mass spectrometry, 561
Material parameters, 209
Maxwell stress, 1363
Mechanical compatibilization, 1807
Mechanical fracture, 1161
Mechanical properties, 197, 1081, 1193, 1865, 2003, 2051, 2265, 2471, 2635
Mechanical property, 649
Mechanical relaxation, 2373
Mechanical response, 2517
Mechanoradical, 1161
Melt elasticity, 2703
Melt fracture, 951, 2703
Melt index (MI), 277
Melt spinning, 1773
Melt viscosity, 2703
Melting behavior, 1659
Melting point, 1511
Melt-mixing, 295
Membrane morphology, 1731
Membrane potential, 251
Membrane vapor separation, 1983
Membranes, 1837
Mercerization, 155
Mesomorphic structures, 2407
Metal chelate affinity chromatography, 2085
Metal laminates, 347
Metal nanoclusters, 723
Metal sorption, 1091
Metallocene, 2281
Metals, 1175
Methacrylamide, 2051
Methacrylate copolymer, 2247
Methanol and water sorption and diffusion, 1983
Methyl acrylate, 1463, 1487
Methyl methacrylate, 365
Microbeads, 2085
Micromechanics, 2209
Migration, 117
Mill behavior, 1995
Mineral sulfur, 499
Miscibility, 341
Mixing rules, 209
Modeling, 1683
Modification, 1349, 1451
β modification crystals, 1415
Modification of fibers, 1955
Modified polyacrylonitrile fibers, 1955
Modified starch, 705
Modifier, 901
Modulus, 1745
Modulus modeling, 2373
Moisture resistance, 2733
Molecular simulation, 117
Molecular structure, 2031, 2159
Molecular weight, 595
Molecular weight distribution, 499
Molecular weight distribution (MWD), 845
Molten state, 1333
Monodisperse resins, 1271
Monomer reactivity ratios, 1285
Monomeric benzanthrone dyes, 91
Moore's equation, 2749
Morphology, 127, 1487, 1595, 1659, 1713, 1849, 2373, 2433, 2579
Multifunctional epoxy, 1751

N-acryloylphenoxazine, 481
Nafion film, 777
N-aryl-α-amino acids (NAAA), 561
Natural rubber, 917, 1245, 1379, 1429
Natural rubber latex, 1913
Natural rubber (NR), 2183
n-butyl acrylate, 511, 2343
Neat or toughened epoxy–amine and polyimide curing, 2529
Necking mechanism, 2059
Nematic liquid crystals, 1151
Network formation, 2529
Network structure, 2025

Networks, 491, 2373
Neutral papermaking, 2159
Neutron activation analysis, 1271
Nickel oxide, 1739
Nitrate removal, 1205
Nitrile rubber, 549
Nitrile rubber hydrogenation, 667
Nitriles, 635
Nitrogen determination, 187
NMR spectroscopy, 1217
N,N,N′,N′,N″-pentakis(hydroxymethyl)-melamine, 2589
Noble metal ions, 931
n-phenylmaleimide-styrene-*p*-allyloxystyrene terpolymers, 1451
N-phenylmaleimide-styrene-*p*-hydroxystyrene terpolymers, 1451
Nucleation, 67, 1759
Nylon 6, 1773
Nylon 610, 1713
Nylon-6, 1813
Nylon-6 fibers, 1293
Nylon-6/polypropylene, 2665

Oil absorption, 179
Oil-absorptive polyurethane foam, 179
Olefins, 1037, 1053
Oligodeoxyribonucleotides, 2567
On-site foaming, 179
Optical anisotropy, 1293
Optical material, 2247
Optical orientation functions, 2031
Optical permittivity, 1653
Optics, 2727
Optimization, 1683
Organic aerogel, 2111
Organic solvents, 1517
Organic–inorganic hybrids, 2373
Orientation-induced crystallization, 1415
Oxidation curing, 261
Oxiranes, 2589
Oxygen permeability, 1081
Oxygen-enriched membranes, 1837
Oxymethylene-linked polyoxyethylene, 1739

PA6, 1807
PAC, 959
Paper, 1463
Particle size, 127
Particleboards, 399
PBO, 1031
PCL–PEG–PCL ester–ether triblock copolydiol, 883
PDMS membrane, 1789
PEBAX®, 1983
1,3-pentadiene, 1883
Permeability, 2679
Peroxide degradation, 439
Pervaporation, 469, 1113
PET, 739
pH sensitivity, 1445, 2257
Phase inversion method, 1731
Phase segregation, 2227
Phase separation, 883, 1921, 2433, 2643
Phase-inversion process, 1555
Phases, 1595
Phenazine dye, 777
Phenolphthalein poly(ether ketone), 649
Phenolphthalein poly(ether-ether-sulphone) (PES-C), 951
Phenol-water mixture, 469
Phenothiazine dyes, 777
Phosphorylated cashew nut shell liquid (PCNSL) prepolymer, 2183
Photocuring, 165
Photoinitiator, 1313
Photolyses, 2151
Photooxidation, 217
Photopolymerization, 1313
Photoresist, 833
Photostabilization, 217
Physical aging, 2635
Physical properties, 135, 1751
Physicochemical properties, 2081
Piezoelectric sensor, 1789
Pinus radiata bark, 1795
Plasma, 365
Plastic foam, 1395
Plasticization, 939
Platelet adhesion, 1723
PMMA, 1161
PnBA elastomer, 1751
Poly (1-butene), 1659
Polyacrylamide, 37
Poly(acrylic acid), 135, 1955
Polyacryloamidoxime chelating cloth, 1175
Polyalkyl methacrylates, 549
Poly(alkylene *p,p′*-bibenzoate-*co*-adipate)s, 893
Polyamide, 2613
Polyamide 66, 1619
Poly(amide-sulfonamide)s, 1113
Polyamide–imide surfaces, 1151
Polyamines, 871, 2159
Polyaniline, 2745
Polybenzazole, 1031
Poly(benzylidene phosphoramide ester)s, 2151
Polybutadiene (PBD), 761
Polycaprolactone, 2357
Polycarbonate, 655
Poly(carbosilane), 261
Polycondensates, 1843
Poly(decamethylene oxide), 1319
Poly(dimethyl siloxane), 939
Poly(D,L-lactide)-*co*-poly(ethylene glycol), 1849
Polyelectrolyte, 41
Polyelectrolyte complex, 41, 1445
Polyester fibers, 2773
Poly(ether ether ketone), 2635
Polyetherimide, 2237
Polyether-segmented nylon, 1703, 1713, 1723, 1731
Polyethylene, 143, 2679
Poly(ethylene 2,6-naphthalene dicarboxylate), 1415
Poly(ethylene adipate) (PEA)/low-density polyethylene (LDPE), 1745
Polyethylene blends, 1921
Poly(ethylene glycol) (PEG) units, 2173
Polyethylene glycols (PEGs), 595
Polyethylene lenses, 2727
Poly(ethylene oxide), 601, 2095
Poly(ethylene oxide)-*block*-poly (butyl acrylate), 1667
Poly(ethylene phthalate), 1349
Poly(ethylene phthalate-*co*-ethylene isophthalate), 1349
Polyethylene terephthalate, 241
Poly(ethylene terephthalate), 1773
Poly(ethylene terephthalate) fibers, 2603
Poly(ethylene terephthalate) film, 1237
Poly(ethylene terephthalate) (PET), 1813
Poly(ethylene-*co*-methyl acrylate), 2507
Poly(ethylene-*co*-styrene), 209
Polyflavonoid tannins, 2623
Poly(hexamethylene oxide), 1319
Polymer, 51
Polymer additive, 2679
Polymer chemical stability, 2721
Polymer composites, 2733
Polymer electrolyte, 1739
Polymer hydrogenation, 667
Polymer network, 165

Polymer structure, 2773
Polymeric sulfur, 499
Polymerizable sensitizer, 481
Polymerization, 17, 1403, 1683, 2051, 2123
Poly(methyl acrylate), 1021
Poly(*N*-isopropylacrylamide), 1313
Polyolefins, 2761
Polyorganophosphazenes, 217
Polyoxyethylenes, 2545
Poly(phenylene oxide)-based ionomers, 341
Poly(*p*-phenylene-2,6-benzobisoxazole), 1031
Polypropylene, 241, 1659, 1773, 2691, 2703, 2715
Polypropylene films, 625
Polypropylene functionalization, 439
Poly(propylene-glycol-diacrylates), 491
Polypropylene/poly(vinyl butyral)/mica composites, 2003
Polypropylene/wood fiber composites, 1227
Polypyrrole, 1, 2739
Polypyrrole coatings, 417
Polystyrene, 2331
Polystyrene-based ionomers, 341
Polystyrene-bound C_{60} gel, 2781
Polystyrene/EVA blends, 2141
Polysulfone, 901
Polysulfone (PSf)/solvent/water systems, 2643
Poly(tetramethylene oxide), 1319
Polytrimethylsilylphenols, 1121
Polyurea, 2265
Polyurethane, 939, 2081, 2395
Polyurethane elastomer, 1363
Polyurethane foams, 525
Polyurethane membrane, 469
Polyurethane networks, 2579
Polyurethanes, 355, 2105, 2227
Poly(vinyl alcohol) (PVA), 1643
Poly(vinyl butyral), 409
Poly(vinyl chloride), 27, 2749
Polyvinylchloride, 1205
Poly(vinylidene fluoride) (PVF_2), 295
Poly(3-hydroxybutyrate), 1849
Poly(ε-caprolactone), 409
Poly(γ-glutamic acid), 1889
Poly[(alkylene oxide) ester], 1319
Porosity, 5
Porous microspheres, 2655
Porous structure, 1257
Positive temperature coefficient, 409
Postirradiation oxidation, 2715
Potassium hydroxide, 601
PPE, 739
Preparation, 1723
Prepolymer, 1667
Prepreg, 5
Prepregs, 329
Prereaction, 1751
Prevulcanization, 1913
Productivity, 1773
1,3-propanediamine, 1889
Properties, 165, 807
Propylene, 1539
Propylene oxide, 2589
Protein adsorption, 1703
Pseudo-first order, 373
Pseudomolecular distribution, 1807
Pulp and paper industry, 1983
PVAL-coated microballoons, 539
PVDF, 1263
Pyrogallol, 399
Pyrrole, 617

Quantitative determination of acrylonitrile in copolymer, 187
Quantitative microscopy, 1395

Radiation-induced method, 191
Radical autocondensation, 2623
Radical polymerization, 1667
Radical process, 1333
Radioprotector, 37
Radio-tracer techniques, 1271
Raman microprobe, 871
Randomness, 893
Ratio of acrylonitrile to butadiene, 187
γ-rays, 2201
Reaction condition, 1667
Reaction time, 1333
Reactive compatibilizer, 739
Reactive extrusion, 439, 2447
Reactivity ratio, 1883
Reactor, 1683
Reagents, 1169
Recycling, 1619, 1631
Recycling of mixed plastic stream, 1385
Refractive index vs. concentration relation, 317
Regioselectively substituted cellulose heteroesters, 1511
Reinforcement, 649
Relative magnetic permeability, 1371
Relaxation, 2507
Resins, 861, 1091, 1271
Resorcinol, 2111
Rheology, 1359, 1595
Rosin, 2159
Rubber, 305
Rubber blends, 731
Rubber dispersions, 2447
Rubber vulcanizate, 117
Rubber vulcanizates, 1429
Rubber-toughened poly(methyl methacrylate) (PMMA), 581

Salicyclic acid, 1829
Salt sensitivity, 1445
Saltykov's theory, 1395
SAN, 1683
Sandwich, 2493
SBR latex, 511
Schottky devices, 2745
Secondary crosslinked interpenetrating polymer network, 1
Sedimentation, 539
Seeded soapless emulsion polymerization, 425
Segmented polyurethanes, 1193
Self-reinforced composites, 329
SEM, 1487
Semiconductor encapsulation, 1975
Semi-IPNs, 51
Serum albumin, 251
Sheath–core structure, 959
Silane coupling, 1975
Silane-functionalized polyethylene surface energy, 2481
Silica, 1759
Silica gels, 871
Silica surface, 2481
Silica-supported functional polymers, 2557
Silicon, 1533
Silicone, 1759
Silicone-hydrogel, 1081
Silk fibroin, 959
Silver ions, 2081
Simulation, 1683
Size exclusion chromatography, 2567
Size exclusion chromatography (SEC), 1257
Sizing, 2159
Soap-free emulsion copolymerization, 2315
Sodium acrylate, 789
Sol-gel process, 2387
Solid polymer electrolytes, 601

Solidification temperature, 1415
Solid-phase grafting, 1905
Solubility, 261, 761, 1723
Solute permeability, 1703, 1713, 1731
Solution, 289
Solution copolymerization, 2297
Solution polycondensation, 1533
Solvency power, 2749
Solvent, 51
Solvent blend, 2749
Solvent composition, 191
Solvents, 991
Sorption, 135, 635
Soy fiber, 695
Soy protein isolate, 695
Spectral studies, 2151
SPG membrane, 2655
Spinning speed, 1773
Spin-spin relaxation time, 77
Spot disc test (SDT) method, 731
Spunbonded fabrics, 1759
Stabilizer, 127
Starch, 1021
State-of-mix, 305
Static mixer, 1807
Steam jet cooking, 1021
316 Steel electrode, 1103
Sterilization, 1193
Stern-Volmer plot, 481
Strain, 625
Strain rate, 655
Stress, 625
Stress analysis, 2209
Stress relaxation, 2227
Stress-relaxation characteristics, 2183
Stress–strain behavior, 2013
Stretching rate, 677
Structural features, 155
Structure, 601, 807
Styrene, 1539, 2289, 2315, 2343
Styrene and methyl methacrylate copolymers, 91
Styrene butadiene rubber, 1429
Styrene-ethylene/butylene-styrene block copolymer, 241
Styrene/UP ratio, 755
Styrene–butadiene copolymers, 1595
Styrene–butadiene–styrene block copolymer, 109
Styrene–divinylbenzene copolymers, 1257
Substrate, 41, 347
Sulfur, 499
Sulfur mustard (SM), 731
Superwater-absorbent resin, 789
Supported polymers catalysts, 2557
Surface charge, 373
Surface coating, 2075
Surface grafting of polymer, 2165
Surface roughness, 1237
Suspension polymerization, 127, 2655
Swelling, 507, 821, 909, 917, 991, 1933
Swelling of the membrane in the thickness direction, 317
Symmetric nonporous membrane, 1113
Synthesis, 1667

Tanning agent, 2051
Tara tannin, 399
Temperature, 289
Tensile properties, 1759
Tensile property, 917
Tensile strength, 1463, 1745, 2739
Tensile tests, 625
Ternary blends, 677
Ternary system, 2131
3,3′,5,5′-tetrabromobisphenol AF, 59
Tetrafunctional epoxy, 2237
Thermal aging, 625
Thermal behavior, 1849
Thermal conductivity, 2733
Thermal stability, 59, 85, 2151
Thermal transitions, 2025
Thermal treatment, 197, 2773
Thermomechanical method, 1807
Thermoplastic, 2433
Thermoplastic elastomer, 1319
Thermoplastic elastomers, 1245
Thermoplastic polymer, 2209
Thermoplastic polyurethane, 1947
Thermoplastics, 277
Thermoreversible hydrogels, 909
Thermosetting bismaleimide resin, 979
Thermostable naphthalate-containing copoly(amide–imide), 1581
Thermotropic properties, 2407
Thinfilms, 2387
Throughput rate, 1773
$TiCl_4/MgCl_2$ catalyst, 1037
Time of flight of ionic carriers, 2529
Time-of-flight of ionic carriers, 1143
Toluene alkylation acid catalysis, 2557
Torsion, 2493
Total heterogeneous oxidation, 2507
Toughening, 2237
TPU/PP blends, 2217
Transcrystallization, 67
Transesterification, 2457
Transfer mechanism, 2315
Transfer rate constants, 2315
Transport, 761
Transport properties, 2635
Triaxial stress, 1821
Triethylamine catalyst, 2589
Trimethylsilylated polyphenols, 1121
Triphenyl bismuth, 1217
Tungsten oxide, 1739
Tussah silk, 2051
Twice electrodeposition (ED) coating, 233

Ultimate properties, 677
Ultrafiltration rate, 1703, 1713
Ultrahigh molecular weight polyethylene, 289, 365
Uniaxially drawn films, 2059
Unsaturated polyester, 77
Unsaturated polyester resin, 1525
Unsaturated polyesters, 755
Urethane, 2373
Urethane polymer, 1217
UV, 365
UV curing, 491
UV radiation, 1571

Vacuum pyrolysis, 1263
Vacuum technique, 117
Vapor permeation, 1263
Vapor pressure osmometry, 595
Vascular prosthesis, 1947
Vegetable oil, 2761
Vibrational spectroscopy, 2665
Vinyl alcohol–vinyl ester copolymers, 1643
Vinyl chloride, 127
Vinyl pyridine, 109
Viscoelastic measurements, 1609
Viscoelastic networks, 1795
Viscoelasticity, 209, 2227, 2395, 2493
Viscosity, 289

Wastewater treatment, 1939
Water, 449
Water absorption, 755
Water vapor permeability, 883
Waterborne polyurethane, 883

Water-emulsified solution, 459
Water-permeable membrane, 1113
Water-soluble carbodiimide, 1889
Water-soluble component, 1829
Water–alcohol separation, 1113
Wear, 939
Weather resistance, 233
Wet spinning, 2131
White light immunity, 2727
Wollastonite, 649
Wood fiber, 1463, 1487
Wood fibers, 1227

XPS, 449
X-ray diffraction, 2407, 2773
X-ray scattering, 2373

Yield stress, 2691

Zeta potential, 2721
Ziegler–Natta catalyst, 925
ZnS pigmented polymers, 2727